Review of snail control in fish ponds.

With the long history of trying to control snails in fish ponds and types of control mechanism being used (mechanical/chemical/predatory), a literature review was undertaken to compile the information to date. This list of references is from journal articles only. The following references are sub-divided by the type of control that the researcher's evaluated or commented on: mechanical, chemical, or biological control.

Mechanical References

- Jobin, W.R., and E.M. Michelson. 1969. Operation of irrigation reservoirs for the control of snails. American Journal of Tropical Medicine and Hygiene 18:297-304.
- Li, D. and X. Fu. 2006. Design of hydraulic structures to prevent the spread of intermediate snails hosts of schistosomiasis, Irrigation and Drainage Systems 20:69–82.
- Richards, D.C., P. O'Connell, and D.C. Shinn. 2004. Simple control method to limit the spread of the New Zealand Mudsnail Potamopyrgus antipodarum. North American Journal of Fisheries Management 24:114–117.
- Teo, S.S. 1999. Control of the golden apple snail (*Pomacea spp.*) by handpicking using herbage as attractants. In: Proceedings of the MCB-MAPPS Plant Protection Conference'99 on "Sustainable Crop Protection Practices in the Next Millennium". Kota Kinabalu, Sabah, Malaysia, 2–3 November.

Chemical References

- Adesina S.K., and C.O. Adewunmi. 1985. Molluscicidal agents from the root of Claesena anisata. Fitoterapia 56:289-292.
- Alard, F., S. Geerts, and L. Triest. 1991. Toxicity of the molluscicidal plant, ambrosia maritima 1., to aquatic non-target organisms. Toxicon, 29:745-750.
- Aldea, M, S. Allen-Gil. 2005. Comparative toxicity of pokeweed (Phytolacca americana) extracts to invasive snails (Viviparus georgianis) and fathead minnows (Pimephales promelas) and the implications of aquaculture. Bulletin of Environmental Contamination and Toxicology 74:822-829.
- Allison, L.N. 1954. Advancements in prevention and treatment of parasitic diseases of fish. Transactions of the American Fisheries Society 83:221–228.
- Andrew, J., and A. Mitchell. 2002. Copper Sulfate—Citric Acid Pond Shoreline Treatment to Control the Rams-Horn Snail Planorbella trivolvis North American Journal of Aquaculture 64:182–187.

- Andrews, P., J. Thyssen, and D. Lorke. 1983. The biology and toxicology of molluscicides, Bayluscide. Pharmaceutical Therapy 29:245-295.
- Avery, J. L. 2001. Chemical treatments for reducing snail populations in commercial catfish ponds. NWAC News 3(2):4.
- Ayad, N., A. H. Mousa, M. M. Ishak, F. Yousif, and S. Zaghloul. 1970. A preliminary study on biological control of the snail intermediate hosts of schistosomiasis in U.A.R. by Helisoma duryi snails. Hydrobiologia 35(2):196–202.
- Baig, M.A., D.V. Banthorpe, and J.A Gutowski. 1989. Accumulation in cultivars of Santolina chamaecyparissus of a rare sesquiterpene with gastropod-repellent activity. Fitoterapia 69:373-375.
- Barbosa, F.S. 1961. Insoluble or slightly soluble chemicals as molluscicides. Bulletin World Health Organization 45:710-711.
- Barros, D.A., J.L. Lopes, W. Vichnewski, J.N. Lopes, P. Kulanthaivel, and W. Herz. 1985. Sesquiterpene lactones in the molluscicidal extract of Eremanthus glomerulatus. Planta Medica 1:38-39.
- Bilia, A.R., A. Braca, J. Mendez, and I. Morelli. 2000. Molluscicidal and piscicidal activities of Venezuelan Chrysobalanaceae plants. Life Sciences 66(4): PL53-9.
- Bilia, A.R., E. Nieri, A. Braca, and I. Morelli. 2000. Screening of Mediterranean Rosaceae plants for their molluscicidal and piscicidal activities. Phytotherapy Research, 14:126-9.
- Borlongan, I.G., and R.M. Coloso. 1999. Use of metaldehyde as molluscicide in milkfish ponds. SEAFDEC Asian Aquaculture 21:26.
- Borlongan, I.G., R.M. Coloso, E.F. Mosura, F.D. Sagisi, and A.T. Mosura. 1998. Molluscicidal activity of tobacco dust against brackishwater pond snails (Cerithidea cingulata Gmelin). Seafdec Asian Aquaculture 20:4
- Brackenbury, T D and C.C. Appleton. 1997. Acute toxicity evaluation of the plant molluscicide, Apodytes dimidiata (Icacinaceae), to Eisenia fetida (Oligochaeta) and Oreochromis mossambicus (Cichlidae) in South Africa. Acta Tropica 63:1-14.
- Brackenbury, T.D., and C.C. Appleton. 1997. A comprehensive evaluation of Agave attenuata, a candidate plant molluscicide in South Africa. Acta Tropica 68:201-13.
- Chaosu, Y., D. Hu, M. Shi, and G. Hu. 1993. Studies on antibiotic 230 as a molluscicide. Japanese Journal of Medical Science and Biology 46103-19.

- Chen, Z P; Tao, H Q; Hua, D S; Shen, B R; Chan, H L Evaluation of molluscicidal effect of nicotinanilide against Oncomelania snails. Zhongguo Jishengchongxue yu Jishengchongbing Zazhi, 9(3): 216-8; 1991
- Chifundera, K., B. Baluku, and B. Mashimango. 1993. Phytochemical screening and molluscicidal potency of some Zairean medicinal plants. Pharmacological Research 28:333-40.
- Chiotha, S.S., J.H. Seyani, and E.C. Fabiano. 1991. Molluscicidal and piscicidal properties of indigenous plants. ICLARM Contribution (675): p. 22.
- Coeurdassier, M., A. De Vaufleury, and P.M. Badot. 2003. Bioconcentration of cadmium and toxic effects on life-history traits of pond snails (*Lymnaea palustris* and *Lymnaea stagnalis*) in laboratory bioassays. Archives of Environmental Contamination and Toxicology 45:102-109.
- Ebele, S., A.A. Oladimeji, and J.A. Daramola. 1990. Molluscicidal and piscicidal properties of copper(ii) tetraoxosulfate(vi) on bulinus globosus (morelet) and clarias anguillaris (l.). Aquatic Toxicology 17:231-238.
- Ekundayo, J. A., and M. O. Benka-Coker. 1994. Effects of exposure of aquatic snails to sublethal concentrations of waste drilling fluid. Environmental Monitoring and Assessment 30:291-297.
- Fitzpatrick, G., and D.J. Sutherland. 1978. Effects of the organophosphorous insecticides temephos (Abate ®) and chlorpyrifos (Dursban ®) on populations of the salt-marsh snail *Melampus bidentatus*. Marine Biology 46:23-28.
- Francis-Floyd, R., J. Gildae, and P.Reed. 1993. Use of bayer 73 (bayluscide) to control snails in ornamental fish ponds. International Association of Aquatic Animal Medicine 24:7-9.
- Francis-Floyd, R., J. Gildea, P. Reed, and R. Klinger. 1997. Use of Bayluscide (Bayer 73) for snail control in fish ponds. Journal of Aquatic Animal Health 9:41–48.
- Geerts, S., J. Belot, F. Sabbe, L. Triest, and M. Sidhom. 1991. Ambrosia maritima: effects on molluscs and non-target organisms. Ethnopharmacol 33:1-12.
- Gibson, D., and W. Chapman. 1972. Effects of Zectran Insecticide on Aquatic Organisms in Bear Valley Creek, Idaho. Transactions of the American Fisheries Society 101:330–344.

- Giovanelli, A., C.L. Silva, L. Medeiros, and M.C. Vasconcellos. 2002. The molluscicidal activity of Niclosamide (Bayluscide WP70) on Melanoides tuberculata (Thiaridae), a snail associated with habitats of Biomphalaria glabrata (Planorbidae) Instituto Oswaldo Cruz, Rio de Janeiro. Memorias 97:743-745.
- Greer, G.J., P.B. Tchounwou, I. Takougang, and A. Monkiedje. 1996. Field tests of a village-based mollusciciding programme for the control of snail hosts of human schistosomes in Cameroon. Tropical Medicine & International Health 1:320-327.
- Halwart, M. 1994. The golden apple snail Pomacea canaliculata in Asian rice farming systems: present impact and future threat. International Journal of Pest Management 40: 199-206.
- Hammond, J.A., D. Fielding, and H. Nuru. 1994. Eucalyptus: a sustainable self-delivery molluscicide? Veterinary Research Communications 18:359-65.
- Henry, C.J., K.F. Higgins, and K.J. Buhl. 1994. Acute toxicity and hazard assessment of Rodeo ®, X-77 Spreader ®, and Chem-Trol ® to aquatic invertebrates. Archives of Environmental Contamination and Toxicology 27:392-399.
- Hilsenhoff, W.L. 1965. The effect of toxaphene on the benthos in a thermally-stratified lake. Transactions of the American Fisheries Society 94:210–213.
- Hoffman, G.L. 1970. Control Methods for Snail-Borne Zoonoses. Journal of Wildlife Diseases, 6(4):262-265.
- Hoffmann, C.H., and E.W. Surber. 1948. Effects of an Aerial Application of Wettable DDT on Fish and Fish-Food Organisms in Back Creek, West Virginia. Transactions of the American Fisheries Society 75:48–58.
- Hostettmann, K., A. Marston, M. Maillard, and J.L. Wolfender. 1996. Search for molluscicidal and antifungal saponins from tropical plants. Advances in Experimental Medicine and Biology 404:117-28.
- Hylleberg J. 1975. The effect of salinity and temperature on egestion in mud snails (*Gastropoda: Hydrobiidae*). Oecologia 21:279-289.
- Ishak, M.M., and A.M. Mohamed. 1975. Effect of sublethal doses of copper sulphate and bayluscide on survival and oxygen consumption of the snail *biomphalaria alexandrina*. Hydrobiologia, 47:499-512.
- Isman M.B., P. Proksch, and J.Y. Yan. 1987. Insecticidal chromenes from the Asteraceae: structure-activity relations. Entomologia experimentalis et applicata 43: 87-93.

- Joubert, P.H., and S.J. Pretorius. 1991. Laboratory evaluation of B-2 as a molluscicide in the control of the snail intermediate hosts of schistosomiasis in South Africa. Annals of Tropical Medicine and Parasitology 85:447-53.
- Jumel, A., M. A. Coutellec, J. P. Cravedi, and L. Lagadic. 2002. Nonylphenol polyethoxylate adjuvant mitigates the reproductive toxicity of fomesafen on the freshwater snail *lymnaea stagnalis* in outdoor experimental ponds. Environmental Toxicology and Chemistry 21:1876–1888.
- Kajihara N., T. Horimi, M. Minai, and Y. Hosaka. 1979. Laboratory assessment of the molluscicidal activity of B-2, a new chemical against Oncomelania nosophora. Japanese Journal of Medical Science and Biology 32:185-8.
- Kajihara, N., T. Horimi, M. Minai, and Y. Hosaka. 1979. Laboratory assessment of the molluscicidal activity of B-2, a new chemical against Oncomelania nosophora. Japanese Journal of Medical Science and Biology 32185-8.
- Kawatski, J. A., V.K. Dawson, and M.L. Reuvers. 1974. Effect of TFM and Bayer 73 on In Vivo Oxygen Consumption of the Aquatic Midge Chironomus tentans. Transactions of the American Fisheries Society 103:551–556.
- Kawatski, J.A. 1973. Acute Toxicities of Antimycin A, Bayer 73, and TFM to the Ostracod Cypretta kawatai. Transactions of the American Fisheries Society 102:829–831.
- Kela, S.L., R.A. Ogunsusi, V.C. Ogbogu, and N. Nwude. 1989. Screening of some Nigerian plants for molluscicidal activity. Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux 42:195-202.
- Klocke, J.A., M.V. Darlington, and M.F. Balandrin. 1987. Biologically active constituents of North American plants. Part III. 1,8-Cineole (eucalyptol), a mosquito feeding and ovipositional repellent from volatile oil of Hemizonia fitchii (Asteraceae). Journal of Chemical Ecology 13:2131-2141.
- Kowalski, D.A., and E.P. Bergersen. 2003. The Toxicity of Bayluscide and TFM to Tubifex tubifex: Implications for Chemical Control of the Oligochaete Host of Myxobolus cerebralis, the Causative Agent of Whirling Disease. North American Journal of Aquaculture 65:171–178.
- Kszos, L.A., J.J. Beauchamp, and A.J. Stewart. 2003. Toxicity of lithium to three freshwater organisms and the antagonistic effect of sodium. Ecotoxicology 12:427-437.

- Labrie, L., C. Komar, J. Terhune, A. Camus, and D. Wise. 2004. Effect of sublethal exposure to the trematode Bolbophorus spp. on the severity of enteric septicemia of catfish in channel catfish fingerlings. Journal of Aquatic Animal Health 16:231-237.
- Ledford, J.J. and A.M. Kelly. 2006. Comparison of black carp, redear sunfish, and blue catfish as biological controls of snail populations. North American Journal of Aquaculture. In press.
- Lemma, A. G. Brody, G.W. Newell, R.M. Parkhurst, and W.A. Skinner. 1972. Studies on the molluscicidal properties of endod (Phytolacca dodecandra). I. Increased potency with butanol extraction. Journal of Parasitology 58:104-7.
- Lemma, A., and P. Yau. 1974. Studies on the molluscicidal properties of endod (Phytolacca dodecandra): II. Comparative toxicity of various molluscicides to fish and snails. Ethiopian Medical Journal 12:109-14.
- Levy, M.G., J.R. Flowers, M.F. Poore, J.E. Mullen, L.H. Khoo, L.M. Pote, I. Paperna, R. Dzikowski, and R.W. Litaker. 2002. Morphologic, Pathologic, and Genetic Investigations of Bolbophorus Species Affecting Cultured Channel Catfish in the Mississippi Delta. Journal of Aquatic Animal Health 14:235–246.
- Lio-Po G.D., L.J. Albright, and E.M. Leaño. 1996. Experiments on Virulence Dose and Portals of Entry for Aeromonas hydrophila in Walking Catfish. Journal of Aquatic Animal Health 8:340–343.
- Lorio, W.J. 1989. Experimental Control of Metacercariae of the Yellow Grub Clinostomum marginatum in Channel Catfish. Journal of Aquatic Animal Health 1:269–271.
- Lunaa, J. de S., A.F. dos Santosb, M.R.F. de Limab, M.C. de Omenab, F.A.C. de Mendonçab, L.W. Biebera and A.E.G. Sant'Ana. 2005. A study of the larvicidal and molluscicidal activities of some medicinal plantsfrom northeast Brazil. Journal of Ethnopharmacology 97:199-206.
- Lwambo, N.J., and H.G. Moyo. 1991. The molluscicidal activity of seed pods of Swartzia madagascariensis on Marisa cornuarietis. East African medical journal 68:827-830.
- Mackenthun, K.M. 1958. The chemical control of aquatic nuisances. Commission on Water Pollution, State Board of Health, Madison, Wisconsin, 64 pp.
- Makanga, B., A. Monkiedge, and C.J. Obbo. 1995. Evaluation of indigenous molluscicides in water against schistosomiasis vectors. African Journal of Tropical Hydrobiology and Fisheries 6:31-34.

- Marking, L.L., and I. Salicylanilide. 1972. An Effective Non-Persistent Candidate Piscicide. Transactions of the American Fisheries Society 101:526–533.
- Marston A., and K. Hostettmann. 1985. Plant molluscicides. Phytochemistry 24:639-652.
- Marston, A., M. Maillard, and K. Hostettmann. 1993. Search for antifungal, molluscicidal and larvicidal compounds from African medicinal plants. Journal of Ethnopharmacology 38:215-23.
- Meepagala, K.M., G. Sturtz, C.C. Mischke, D. Wise, and S. O. Duke. 2004. Molluscicidal activity of vulgarone B against ram's horn snail (Planorbella trivolvis). Pest Management Science 60:479-482.
- Meepagala, K.M., G. Sturtz, D. Wise, and D.E. Wedge. 2002. Molluscicidal and antifungal activity of Erigeron speciosus steam distillate. Pest Management Science 58:1043-1047.
- Meepagala, K.M., J.M. Kuhajek, G. Sturtz, and D.E. Wedge. 2006. Vulgarone B, the antifungal constituent in the steam-distilled fraction of Artemisia douglasiana. Journal of Chemical Ecology (in press).
- Mischke, C.C., D.J. Wise, and L.M. Pote. 2005. Acute toxicity of chemicals to the ram's horn snail Planorbella trivolvis. Journal of the World Aquaculture Society 36:559-562.
- Mitchell A.J. 1995. Importance of Treatment Duration for Praziquantel Used against Larval Digenetic Trematodes in Sunshine Bass. Journal of Aquatic Animal Health 7:327–330.
- Mitchell, A.J. 2002. A copper sulfate—citric acid pond shoreline treatment to control the rams-horn snail *Planorbella trivolvis*. North American Journal of Aquaculture 64:182–187.
- Mitchell, A.J., A.E. Goodwin, M.J. Salmon, and T.M. Brandt. 2002. Experimental Infection of an Exotic Heterophyid Trematode, Centrocestus formosanus, in Four Aquaculture Fishes. North American Journal of Aquaculture 64:55–59.
- Mitchell, A.J., and M.S. Hobbs. 2003. Effect of citric acid, copper sulfate concentration, and temperature on a pond shoreline treatment for control of the marsh rams-horn snail *Planorbella trivolvis* and the potential toxicity of the treatment to channel catfish. North American Journal of Aquaculture 65:306–313.
- Msonthi, J.D. 1991. Molluscicidal components of plant origin. ICLARM Contribution, (675): p. 23.

- Musselius, V. A., and V. I. Laptev. 1967. Experimental application of Chlorophos for mollusc control at pond farms (Opyt primen khlorofosa dlya bor'by s mollyuskismi v prudovykh Khozyaistvakh). Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Instituta Produvoga Rybnoga Khozyaistva Voprosy Prudovogo Rybovodstva "Pischevaya Promyshlennost," Moscow, 15: 294-298. (Eng. transl., Div. Fishery Research, U.S. Bur. Sport Fish. and Wildl.).
- Muzzall, P.M., R.D. Sweet, and C.L. Milewski. 1990. Occurrence of Diplostomum sp. (Trematoda: Diplostomatidae) in Pond-Reared Walleyes from Michigan. The Progressive Fish-Culturist 52:53–56.
- Overstreet, R.M., and S.S. Curran. 2004. Defeating diplostomoid dangers in USA catfish aquaculture. Folia Parasitol 51:153-165.
- Panigrahi, A. 1998. Evaluation of mulluscicidal effect of the pesticide nuvan on the disease transmitting snails Lymnaea acuminata and Bellamya bengalensis. Environment and Ecology 16:257-259.
- Pereira, J.P., C.P. de Souza, and N.M. Mendez. 1978. Molluscicidal properties of the Euphorbia cotinifolia L (author's transl) [Propriedades moluscicidas da Euphorbia cotinifolia L.] Revista Brasileira de Pesquisas Medicas e Biologicas 11:345-51.
- Présing, M. 1993. Influence of an insecticide, K-Othrine, on the reproduction and mortality of the pond snail (*Lymnaea stagnalis* L.). Archives of Environmental Contamination and Toxicology 25:387–393.
- Pretorius, S.J., P.H. Joubert, A.H. Scott, and T.G. Fourie. 1991. The molluscicidal properties of Apodytes dimidiata subsp. dimidiata (Icacinaceae) Journal of Tropical Medicine and Hygiene 94:159-65.
- Purchio, A., and R. Campos. 1970. Molluscicidal activity of aflatoxin. Instituto de Medicina Tropical de Sao Paulo Revista 12:236-8.
- Pyatt, A., F. Pyatt, and V. Pentreath. 2002. Lead toxicity, locomotion and feeding in the freshwater snail, *Lymnaea stagnalis* (L.). Invertebrate Neuroscience 4:135–140.
- Regerand, T.I., and L.V. Dubrovina. 1995. Influence of aluminum on the lipid composition of pond snails present in media with different acidities. Chemistry of Natural Compounds 31:660-664.
- Rizk, E.T., and S.M. Hassan. 1999. Molluscicidal activity of furanocoumarins isolated from Ammi majus against Biomphalaria alexandrina snails. Egyptian Journal of Pharmaceutical Science 40:61-71.

- Rug, M., and A. Ruppel. 2000. Toxic activities of the plant jatropha curcus against intermediate snail hosts and larvae of schistosomes. Tropical Medicine & International Health 5(6):423-430.
- Russo, J., and L. Lagadic. 2000. Effects of parasitism and pesticide exposure on characteristics and functions of hemocyte populations in the freshwater snail *Lymnaea palustris* (*Gastropoda*, *Pulmonata*). Cell Biology and Toxicology 16:15-30
- Singh, S and D,K, Singh. 1999. Effect of molluscicidal components of Abrus precatorius, Argemone mexicana and Nerium indicum on certain biochemical parameters of Lymnaea acuminata. Phytotherapy Research 13:210-213.
- Snyman, R. G., S. A. Reinecke, and A. J. Reinecke. 2000. Hemocytic lysosome response in the snail *Helix aspersa* after exposure to the fungicide copper oxychloride, Archives of Environmental Contamination and Toxicology 39:480–485.
- Soucek, D. J., and G.P. Noblet. 1998. Copper toxicity to the endoparasitic trematode (posthodiplostomum minimum) relative to physid snail and bluegill sunfish intermediate hosts. Environmental Toxicology and Chemistry 17:2512-2516.
- Spehar, R.L., J.T. Fiandt, R.L. Anderson, and D.L. DeFoe. 1980. Comparative toxicity of arsenic compounds and their accumulation in invertebrates and fish. Archives of Environmental Contamination and Toxicology 9:53-63.
- Squire, B.J., M.W. Pilcher, P.J. Whitfield, M,A. El-Banhawy, and R.M. Rashed. 1989. Fish toxicity of the molluscicidal seeds of millettia thonningii (leguminosae: papilionoideae): impact on tilapia nilotica/auraea hybrids and ctenopharyngodon idella. International Journal of Environmental Studies 33:93-98.
- Sukumaran, D., B.D. Parashar, A.K. Gupta, K. Jeevaratnam, and S. Prakash. 2004 Molluscicidal effect of nicotinanilide and its intermediate compounds against a freshwater snail Lumnaea luteola, the vector of animal schistosomiasis. Instituto Oswaldo Cruz, Rio de Janeiro. Memorias 99:205-210.
- Surber, E.W, and T.O. Thatcher. 1963. Laboratory Studies of the Effects of Alkyl Benzine Sulfonate (ABS) on Aquatic Invertebrates. Transactions of the American Fisheries Society 92:152–160.
- Suryanto, E., H.A. Jambari, A.S. Sajap, and F.H. Ahmad. 1999. Field trial of leaf powder of Peltophorum pterocardium against golden apple snail in rice. In: Symposium on Biological Control in the Tropics. MARDI Training Centre, Serdang, Selangor, Malaysia, 18:19.

- Tchounwou, P.B., A.J. Englande, and E.A. Malek. 1991. Toxicity evaluation of bayluscide ® and malathion to three developmental stages of freshwater snails. Archives of Environmental Contamination and Toxicology 21:351-358.
- Terhune, J.S., D.J. Wise, L.H. Khoo. 2002. Bolbophorus confusus Infections in Channel Catfish in Northwestern Mississippi and Effects of Water Temperature on Emergence of Cercariae from Infected Snails. North American Journal of Aquaculture 64:70–74.
- Thiilborg, S.T., C. Cornett, and E. Lemmich. 1996. Investigations of molluscicidal saponins from the Endod plant Phytolacca dodecandra. Advances in Experimental Medicine and Biology 404:151-64.
- Tiwari, F., and D.K. Singh. 2004. Behavioural responses of the snail *Lymnaea acuminata* to carbohydrates in snail-attractant pellets. Naturwissenschaften 91:378-380.
- Tripathi, S.M., and D.K. Singh. 2000. Molluscicidal activity of Punica granatum bark and Canna indica root. Revista Brasileira de Pesquisas Medicas e Biologicas, 33:1351-5.
- Tsai, S.C. 1978. Control of Chironomids in Milkfish (Chanos chanos) Ponds with Abate(R) (Temephos) Insecticide. Transactions of the American Fisheries Society 107:493–499.
- Van Puyvelde L, J. Bosselaers, C. Stevens, N. De Kimpe, J. Van Gestel, and P.Van Damme. 1999. Phytotoxins from the leaves of Laggera decurrens. Journal of Agricultural and Food Chemistry 47: 2116-2119.
- Wat, C.K., T. Johns, and G.N. Towers. 1980. Phototoxic and antibiotic activities of plants of the Asteraceae used in folk medicine. Journal of Ethnopharmacology 2:279-290.
- Wayland, W. 1991. Effect of carbofuran on selected macroinvertebrates in a prairie parkland pond: An enclosure approach. Archives of Environmental Contamination and Toxicology 21:270-280.
- Wei, F.H. X.J. Xu, J.B. Liu, Y.H. Dai, G. Dussart, and J. Trigwell. 2002. Toxicology of a potential molluscicide derived from the plant Solanum xanthocarpum: a preliminary study. Annals of Tropical Medicine and Parasitology 96:325-31.
- Weis, P., J.S.Weis, and L.M. Coohill. 1991. Toxicity to estuarine organisms of leachates from chromated copper arsenate treated wood. Archives of Environmental Contamination and Toxicology 20:118-124.

- Whitfield, P.J. 1996. Novel anthelmintic compounds and molluscicides from medicinal plants. Transactions of the Royal Society of Tropical Medicine and Hygiene 90:596-600.
- Zhu, D, J. Yin, Z. Bao, and L. Cai. 1998. Studies on extensive application of bromoacetamide in various types of schistosomiasis endemic area. Zhongguo Jishengchongxue yu Jishengchongbing Zazhi, 16:53-7.

Biological References

- Acosta, B.O., and R.S.V. Pullin. 1989. Environment Impact of the Golden apple snail (Pomacea spp.) on Rice Farming Systems in the Philippines. International Centre for Living Aquatic Resources Management, Manila, Philippines.
- Anderson, B. 1993. The Philippines snail disaster. The Ecologist 23:70–72.
- Avault, J. W., and R. Allison. 1965. Experimental biological control of a trematode parasite of bluegill. Experimental Parasitology 17:296-301.
- Bagarinao, T. 2001 Biology and management of the snail, a pest in milkfish ponds. Asian Fisheries Society Asian Fisheries Forum: Book of Abstracts 6:14.
- Barrion, A.T., R.R. Jackson, and K.G. Schoenly. 1997. Biology and laboratory predation of Dindymus pulcher Stal (Hemiptera:Pyrrhocoridae) on golden apple snail in the Philippines. In: International Workshop on Ecology and Management of the golden apple snail in Rice Production in Asia. Thailand.
- Brown, K.M., and D.R. DeVries. 1985. Predation and the distribution and abundance of a pulmonate pond snail. Oecologia 66:93-99.
- Carothers, J.L., and R.A. Allison. 1966. Control of snails by the redear (shellcracker) sunfish. FAO World Symposium on Warm-water Pondfish Culture, FAO Fish. Rep. No. 44(5).
- Chernin, E., E. H. Michelson, and D. L. Augustine. 1956. Studies on the biological control of schistosome-bearing snails. II. The control of *Austraorbis glabratus* populations by the leech, *Helobdella fusca*, under laboratory conditions. American Journal of Tropical Medicine and Hygiene 5:308-314.
- Chimbari M.J., H. Madsen, and J. Ndamba. 1997. Laboratory experiments on snail predation by Sargochromis codringtoni, acandidate for biological control of the snails that transmit schistosomiasis. Annals of Tropical Medicine and Parasitology. 91:95-102.

- Cope, N.J., and M. J. Winterbourn. 2004. Competitive interactions between two successful molluscan invaders of freshwaters: an experimental study. Aquatic Ecology 38:83-91.
- Eckblad, J.W., and M.H. Shealy JR. 1972. Predation on Largemouth Bass Embryos by the Pond Snail Viviparus georgianus. Transactions of the American Fisheries Society 101:734–738.
- Elliot, A. M., and L. R. Russert. 1949. Some condition characteristics of a yellow perch population heavily parasitized by *Clinostomum marginatum*. Journal of Parasitology 35:183-190.
- Etnier, D. A. 1971. Food of three species of sunfishes (Lepomis, Centrarchidae) and their hybrids in three Minnesota lakes. Transactions of the American Fisheries Society 100:124-128.
- Fischer, S. 2003. Snail population control methods for Missouri aquatic ponds. Missouri. Department of Conservation. Annual Report 28 pp.
- Gallebu, A.U., P.C. Jover, and F.F. Bongolan, 1992. Integration of ducks to lowland culture as biological control of the golden apple snail. Philippine Journal of Crop Science 17:27.
- Gotoh, T., and M. Kawata. 2000. The effects of spatial habitat structure on population variability of freshwater snails. Hydrobiologia 429:157-169.
- Halwart, M. 1994. The golden apple snail Pomacea canaliculata in Asian rice farming systems: present impact and future threat. International Journal of Pest Management 40:199–206.
- Hammond, J.A., D. Fielding, and H. Nuru. 1994. Eucalyptus: A sustainable self-delivery molluscicide? Veterinary Research Communications 18:359-365.
- Hershey, A.E. 1990. Snail populations in arctic lakes: competition mediated by predation? Oecologia 82:26-32.
- Hirai, Y. 1988. Apple Snail in Japan the present status and management. Japan Agricultural Research Quarterly 22:161–165.
- Hofkin, B.V., D.M. Hofinger, D.K. Koech, and E.S. Loker. 1992. Predation of Biomphalaria and non-target molluscs by the crayfish Procambarus clarkii: implications for the biological control of schistosomiasis. Annals of Tropical Medicine and Parasitology 86:663-70.

- Jambari, H.A., A. Ismail, Y.M. Esa, S.W. Wong, I. Ibrahim, and H.L. Lat. 1993. Interception and control of golden apple snail (Pomacea spp.) in Malaysia. In: Proceedings of the Third Congress of Medical and Applied Malacology. Sydney, Australia.
- Jambari, H.A., and E. Suryanto. 1999. Fish as biological control agent of golden apple snails—prospects and challenges. In: Proceedings of the Synposium on Biological Control in the Tropics. MARDI Training Centre, Serdang, Malaysia, 18–19 March.
- Klumpp, R. K., and K.Y. Chu. 1987. Focal mollusciciding: an effective way to augment chemotherapy of schistosomiasis. Parasitology Today 3:74-76.
- Knutson, L.V., and C.0. Berg. 1964. Biology and immature stages of snail-killing flies: The genus *Elgiva* (Diptera: Sciomyzidae). Annals of the Entomological Society of America 57:173-192.
- Maharaj, R., C.C. Appleton, and R.M. Miller. 1992. Snail predation by larvae of Sepedon scapularis Adams (Diptera: Sciomyzidae), a potential biocontrol agent of snail intermediate hosts of schistosomiasis in South Africa. Medical and Veterinary Entomology 6:183-187.
- Mahdi, M.A., and M.A. Amin. 1966. An attempt to control *Bilharziasis* by fish. Hydrobiologia 28:66-72.
- Mamat, N., A. Booty, A.H. Bakir, and Z. Bidin. 1999. Controlling golden apple snail, Pomacea sp., using ducks, Anas platyrhynchos. In: Proceedings of the Symposium on Biological Control in the Tropics.
- Mcannaly, R.D., and D. V. Moore. 1965. Predation by the leech *Heobdella* punctatoineata upon *Australorbis glabratus* under laboratory conditions. Journal of Parasitology 52:196-197.
- Michelson, E.H., and D.L. Augustine. 1957. Studies on the biological control of Schistosome-bearing snails. V. The control of Biomphalaria pfeifferi populations by the snail, Marisa cormiuarietis, under laboratory conditions. The Journal of Parasitology 43:135.
- Mitchell, A.J. 2001. Update and impact of a trematode that infects cultured channel catfish. The Catfish Journal 16:17-27.
- Mitchell, A.J., and T.M. Brandt. 2005. Temperature Tolerance of Red-Rim Melania Melanoides tuberculatus, an Exotic Aquatic Snail Established in the United States. Transactions of the American Fisheries Society 134:126–131.

- Mkoji, G.M., B.N. Mungai, D.K. Koech, and E.S. Loker. 1998. Experimental control of the schistosome-transmitting snail Biomphalaria pfeifferi by the ampullariid snail Pila ovata. Annals of Tropical Medicine and Parasitology. 92:65-72.
- Mochida, O. 1991. Spread of fresh water snails Pilidae mollusca from Argentina to Asia. Micronesica 3:52–62.
- Morallo-Rejesus, B., A.S. Saysboc, and R.C. Joshi. 1990. The distribution and control of the introduced golden apple snail (Pomacea sp.) in the Philippines. In: Introduction of Germplasm and Quarantine Procedure. PLANTI, Kuala Lumpur, Malaysia, pp. 213–224.
- Mounir, M.I, and H.M. Bishai. 1968. The possible role of the algae *Cladophora glomerata* on the biological control of *Biomphalaria boissyi*, the snail host of Schistosoma mansoni. Hydrobiologia 32:168-180.
- Naylor, R., 1996. Invasion in agriculture: assessing the cost of the golden apple snail in Asia. Ambio 257:443–448.
- Ndlela, B., and M.J. Chimbari. 2000. A preliminary assessment of the potential of the Muschovy duck (Cairina maschata) as a biocontrol agent of schistosomiasis intermediate host snails. The Central African Journal of Medicine 46:271-5.
- Newman, R.M., Z. Hanscom, and W.C. Kerfoot. 1992. The watercress *glucosinolate-myrosinase* system: a feeding deterrent to caddisflies, snails and amphipods. Oecologia 92:1-7
- Osenberg, C.W., G.G. Mittelbach, and P.C. Wainwright. 1992. Two-stage life histories in fish: the interaction between juvenile competition and adult performance. Ecology 73:255-267.
- Osman, G.Y., and A.M. Mohamed. 1991. Bio-efficacy of bacterial insecticide, *Bacillus thuringiensis* as biological control agent against snails vectors of Schistosomiasis in Egypt. Journal of Pest Science 64:136–139.
- Pantua, P.C., S.V. Mercado, F.O. Lanting, and E.B. Nueva. 1992. Use of ducks to control golden apple snail Ampullarius-canaliculata in irrigated rice. International Rice Newsletter 17:27.
- Parashar, B. D., and K. M. Rao. 1988. Biological studies of the flesh fly *Sarcophaga* (*Parasarcophaga*) *misera* and its effects as a predator of the snail *Indoplanorbis exustus*. Biocontrol Science 33:431-434.
- Pasnik D. 1999. Research of new trematode in channel catfish. Fish Farming News Nov/Dec, 40-43.

- Pointier, J.P., and F. McCullough. 1989. Biological control of the snail hosts of Schistosoma mansoni in the Caribbean area using Thiara spp.. Acta Tropica. 46:147-55.
- Polyaninova, A.A, and A.I. Molodtseva 1995. The Benthos-sturgeon feeding relationship for the Caspian Sea. *in* Gershanovich A.D. and T.I.J. Smith (eds) 1995. Proceedings of the International Syposium on Sturgeons, September 6-11, 1993. VNIRO Publishing, Moscow.
- Roberts, J.K., and A.M. Kuris. 1990. Predation and control of laboratory populations of the snail Biomphalaria glabrata by the freshwater prawn Macrobrachium rosenbergii. Annals of Tropical Medicine and Parasitology 84:401-12.
- Rondon, M.B., and J.P. Sumangil. 1989. Integrated pest management for golden kuhol. In: Workshop on Environmental Impact of Golden Snail (Pomacea spp.) on Rice Farming System in the Philippines. Freshwater Agriculture Centre, Central Luzon State University, Munoz, Nueva Ecija, November, 9–10.
- Schneberger, E., and L.A. Woodbury. 1944. The lake sturgeon, Acipenser fluvescens Rafinesque, in Lake Winnebago. Transactions of the Wisconsin Academy of Science, Arts and Lett 36:131-140.
- Simmonds, F. J., ans I. W. Hughes. 1963. Biological control of snails exerted by *Euglandina rosea* (Ferussac) in Bermuda. BioControl 8:219-222.
- Slootweg, R. 1995. Snail control by fish: an explanation for its failure. NAGA, the ICLARM Quarterly 18(4):16-19.
- Slootweg, R., E.A. Malek, and F.S. McCullough. 1994. The biological control of snail intermediate hosts of schistosomiasis of fish. Review in Fish Biology and Fisheries 4:67-90.
- Spall, R. D., and R. C. Summerfelt. 1969. Host-parasite relationships of certain endoparasitic helminthes of the channel catfish and white crappie in an Oklahoma reservoir. Bulletin of the Wildlife Disease Association 5:48-67.
- Spall, R. D., and R. C. Summerfelt. 1970. Life cycle of the white grub.
 Posthodiplostomum minimum (MacCallum, 1921: Trematoda, Diplostomatidae), and observations on host-parasite relationships of the metacercariae in fish. Pages 218-230 in S. F. Snieszko, editor. A symposium on diseases of fish and shellfishes.
 American Fisheries Society, Special Publication 5, Bethesda, Maryland.
- Teo, S.S. 1999. Control of the golden apple snail in irrigated rice by integrated approach in Sabah. In: The Fifth International Conference on Plant Protection in the Tropics. Kuala Lumpur, Malaysia. 15–18 March.

- Teo. S.S. 2001. Evaluation of different duck varieties for the control of the golden apple snail (Pomacea canaliculata) in transplanted and direct seeded rice. Crop Protection 20:599-604.
- Terhune, J.S., D.J. Wise, and L.H. Khoo. 2002. Bolbophorus confusus infections in channel catfish in Northwestern Mississippi and effects of water temperature on emergence of Cercariae from infected snails. North American Journal of Aquaculture 64:70–74.
- Turner, A.M., S.A Fetterolf, and R.J. Bernot. 1999. Predator identity and consumer behavior: differential effects of fish and crayfish on the habit use of a freshwater snail. Oecolgia 118:242-247.
- Vega, R.S.A., V.T. Villancio, P.A. Mendoza, R.L. Limosinero, and C.T. Mendoza. 1992. Agro-economic evaluation of non-chemical control method against golden apple snail (Pomacea canaliculata) in irrigated lowland rice. Philippines Journal of Crop Science 16:9.
- Venable, D.L., A.P. Gaudé III, and P.L. Klerks. 2000. Control of the trematode *Bolbophorus confuses* in channel catfish *Ictalurus punctatus* ponds using salinity manipulation and polyculture with balck carp *Mylopharyngodon piceus*. Journal of the World Aquaculture Society 31:158-166.
- Vianey-Liaud, M. 1984. Effects of starvation on growth and reproductive apparatus of two immature freshwater snails *Biomphalaria pfeifferi* and *Biomphalaria glabrata* Gastropoda: Planorbidae). Hydrobiologia 109:165–172.
- Vorontsov, D. D. 2002. Central mechanisms that control respiration in the pond snail *Lymnaea stagnalis*: Is the VD4 neuron involved in respiratory rhythm generation? Doklady Biological Sciences 386:436.
- Wang, H.P., R.S. Hayward, G.W. Whitledge, and S.A. Fischer. 2003. Prey-size preference, maximum handling size, and consumption rates for redear sunfish, *Lepomis microlophus*, feeding on two gastropods common to aquaculture ponds. Journal of the World Aquaculture Society 34:379-386.
- Weinzettl, M., and P. Jurberg. 1990. Biological control of Biomphalaria tenagophila (Mollusca, Planorbidae), a schistosomiasis vector, using the fish Geophagus brasiliensis (Pisces, Cichlidae) in the laboratory or in a seminatural environment. Memórias do Instituto Oswaldo Cruz 85:35-38.
- Yusa, Y., N. Sugiura, and T. Wada. 2006. Predatory potential of freshwater animals on an invasive agricultural pest, the apple snail *Pomacea canaliculata* (*Gastropoda: Ampullariidae*), in Southern Japan. Biological Invasions 8:137-147.

Search engines used:

The following is a list of the search topics used in compiling the references above: Google scholar – words used: using fish for snail control, snail control in ponds, ISU library – general keyword: snail control

Springer Link -http://www.springerlink.com

PubMed - Snail control in Aquaculture, snail control in ponds, reviews of molluscicidal Fish and Fisheries – snail control in aquaculture, snail control in ponds, molluscicidal AFS – snail control, snail control in ponds, snail control in aquaculture, molluscicidal