
A Bibliography on the Culture and Maintenance of Specific Pathogen-Free Organisms

prepared by
Christopher L. Brown
Kirk O. Hahn
Hawaii Institute of Marine Biology
School of Ocean and Earth Science and Technology
University of Hawaii

and

David E. Coleman
Hamilton Library
University of Hawaii

Center for Tropical and Subtropical Aquaculture Publication No. 116

Table Of Contents

Acknowledgments.	III
Introduction.	1
General and review articles	3
Fish and other aquatic animals	4
Swine.	10
Poultry.	15
Rabbits	18
Miscellaneous farm animals and products	19
Laboratory animals, research and biomedical models	20
Plants - field crops and horticulture	25
SPF building design and management	26
Economics of pathogen-free production.	27

Acknowledgments

This report was prepared as part of a project titled *Exploratory Study of Hawaii and Guam as Specific Pathogen-Free Aquaculture Stock Centers*. This project was funded by the Center for Tropical and Subtropical Aquaculture through grants from the U.S. Department of Agriculture (U.S.D.A. grant number 90-38500-5045 and U.S.D.A. grant number 91-38500-5899).

The layout and design of this bibliography was done by Patti Killelea-Almonte.

The opinions expressed in this document are those of the authors and do not necessarily reflect the opinions of the Center for Tropical and Subtropical Aquaculture or the U.S. Department of Agriculture.

Introduction

This document lists citations of articles concerning the cultivation of specific pathogen-free (SPF) or disease-free organisms. Its purpose is to provide a starting point for people wishing to investigate practical aspects of pathogen-free culture. Additional information can be obtained from the University of Hawaii's Hamilton Library through the Pacific Regional Aquaculture Information Service for Education (PRAISE). These references were drawn from a variety of databases including but not limited to Biological Abstracts, Medline, AGRICOLA and Aquatic Sciences and Fisheries Abstracts. Wherever possible, the authors have provided an English translation. They have also included some reports on related themes of disease management and control. The authors have made every effort to make this bibliography as complete and current as possible. References compiled in this study include listings in the 1992 and earlier editions of the databases mentioned above. In most cases, these databases are complete from the late 1960s or early 1970s up to 1992. A few more recent citations that came to the authors' attention were added during the preparation of this report in early 1995.

The references are sorted as to the subject matter concerned and listed alphabetically by first author in the following sections:

- General and review articles on pathogen-free culture
- Fish and aquatic organisms
- Pigs
- Poultry
- Rabbits
- Miscellaneous farm animals
- Laboratory animals
- Plants
- Design and management of SPF facilities
- Economic and marketing aspects of SPF culture

General and review articles

- Christensen, N. H. 1975. Denmark will be the only country where specific pathogen-free programs work (Danmark ved at være eneste land, hvor SPF fungerer). *Det. Nye. Dan. Landbrug*. 6 (12): 20.
- Christensen, N. H. 1975. Specific pathogen-free production, early weaning and crossbreeding can be combined (SPF-produktion, tidlig fravaenning og krydsning kan kombineres). *Det. Nye. Dan. Landbrug*. 6 (12): 21-22.
- Hahn, K., C. L. Brown and G. D. Pruder. 1994. Standard agricultural practices for the culture of specific pathogen-free organisms, and their application to aquaculture. *Reviews in Fisheries Science*. 2(2): 315-330.
- Heneghan, J. B. (Ed.). 1973. *Germfree Research: Biological Effect of Gnotobiotic Environments*. Academic Press, N. Y.
- Homberger, F. and P. Thomann. 1989. The SPF animal between breeder and researcher, a follow-up study of viral infections. *Zeitschrift für Versuchstierkunde*. 32 (5): 207.
- Howes, D. W. and J. Withel. 1972. SPF study at National Biological Standards Laboratory (N. B. S. L.). *Anim. Quar.* 2: 3-6.
- Jacobsen, K. A. 1975. SPF—results of a demonstration and observation, 1969-1974 (SPF-resultater fra demonstrations-og observationsbrug 1969-1974). *Landbo. Nyt*. 29 (2): 116-118.
- Keller, H. 1974. Living with disease as an alternative to the specific pathogen-free program (Leben mit der Krankheit als Alternative zum SPF-Programm). *Grüne*. 102 (2): 59-67.
- Luckey, T. D. 1963. *Germ-free Life and Gnotobiology*. Academic Press, N. Y.
- Merkenschlager, M. 1972. Gnotobiotic and specific germ-free animals (Gnotobiotische und SPF-Tiere). In: *Veterinarhygiene*. Roots, Elmar, (Ed.). 311-322.
- Tena-Andreu, S. 1976. Specific pathogen germ-free animals (Animales libre de germenés patógenos específicos). *Veterinaria Madr.* 41 (7/9): 91-99.
- Westendorf, P. and F. W. Heidecke. 1988. SPF methods under field conditions. Illustrated report on a practical method (SPF-Verfahren unter Feldbedingungen). *Praktische Tierarzt*. 69 (10): 32-34.

Visser, I. K. G., V. P. Kumarev, C. Oervell, P. de Vries, H. W. J. Broeders, M. W. G. vande Bildt, J. Groen, J. S. Teppema, A. D. M. E. Osterhaus, et al. 1990. Comparison of two morbilliviruses isolated from seals during outbreaks of distemper in North West Europe and Siberia. *Arch. Virol.* 111 (no. 34): 149-164.

Zimmerman, D. R. and B. S. Wostmann. 1963. Vitamin stability in diets for germfree animals. *J. Nutrition.* 79: 318-323.

Fish and other aquatic animals

Allendorf, F. S. and S. R. Phelps. 1980. Loss of genetic variation in hatchery stock of cutthroat trout. *Trans. Am. Fish Soc.* 109: 537-543.

Amlacher, E. 1970. Textbook of Fish Diseases. D. A. Conroy and R. L. Herman. (trans.) TFH Publications, Inc. Neptune City, N. J. 302 pp.

Baker, J. A. and M. S. Ferguson. 1942. Growth of platyfish (*Platypeocilus maculatus*) free from bacteria and other microorganisms. *Proc. Soc. Exp. Biol. Med.* 51: 116-119.

Bedell, G. W. 1971. Eradicating *Ceratomyxa shasta* from infected water by chlorination and ultraviolet irradiation. *Prog. Fish Cult.* 33: 51-54.

Bedell, R. A. and G. A. Gall. 1968. Rainbow Trout Broodstock Selection. Calif. Dept. Fish and Game Report. 12 pp.

Bullock, G. L. and H. M. Stuckey. 1977. Ultraviolet treatment of water for destruction of five gram-negative bacteria pathogenic to fishes. *J. Fish Res. Board Can.* 34: 1244-1249.

Buss, K. W. 1981. An approach to functional, economical, and practical fish culture through better bio-engineering. *In: Bio. Eng. Sympos. Fish Cult., Am. Fish Soc., Fish Cult. Sec. Bethesda, Md. Pub. 1: 227-234.*

Carey, T. G. 1983. Regional control of communicable diseases of fish. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 137-148.

Chevassus, B. 1979. Hybridization in salmonids: Results and perspectives. *Aquaculture.* 17: 1-11.

- Cho, C. Y. 1983. Nutrition and fish health. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 63-73.
- Clary, S. D., 1978, Realistic control of fish diseases through hatchery sanitation and water conditioning. *Salmonid*. 1 (5): 10-11.
- Daily, J. B. and P. Economon. 1983. Selection of water supplies. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 37-48.
- Davis, H. S. 1953. Culture and Diseases of Game Fishes. Univ. of Calif. Press, Berkeley, Calif. 332 pp.
- Donaldson, L. R. and D. Menasveta. 1961. Selective breeding of chinook salmon. *Trans. Am. Fish Soc.* 90: 160-164.
- Dupree, H. K. 1981. An overview of the various techniques to control infectious diseases in water supplies and in water reuse aquacultural systems. *In: Bio-Eng. Sympos. Fish Cult., Am. Fish Soc. Fish Cult. Sec. Bethesda, Md. Publ. 1: 83-89.*
- Ehlinger, N. F. 1964. Selective breeding of trout for resistance to furunculosis. *N. Y. Fish Game J.* 11: 78-90.
- Fuhrmann, H. and G. Savvidis. 1984. On the occurrence of economically important viral and bacterial diseases in German fish hatcheries and the fight against them. The Fourth European Multicolloquium of Parasitology. October 14-19, 1984. Izmir, Turkey.
- Gjedrem, T. 1985. Improvement of productivity through breeding schemes. *Geo. Journal.* 10 (3): 233-241.
- Gjedrem, T. 1991. Atlantic salmon breeding programme in Norway. U.S. Marine Shrimp Farming Program Shrimp Breeding Workshop. Report of The Oceanic Institute, Hawaii. 6 pp.
- Goldthwaite, D. B. and T. G. Carey. 1983. Planning a fish health program for hatchery management. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*, Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 23-26.
- Griffin, R. and M. Davis. *Myxosoma cerebralis*: Detection of circulating antibodies in infected rainbow trout (*Salmo gairdneri*). *Journ. Fish. Res. Board Can.* 1978. 35(9): 1186-1190.

- Griffiths, R. H. 1983. Stocking practices and disease control. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 87-88.
- Griffiths, R. H., and J. W. Warren. 1983. The role of improved husbandry practices. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J.W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 15-22.
- Gunnes, K. and T. Gjedrem. 1978. Selection experiments with salmon, IV. Growth of Atlantic salmon during two years in the sea. *Aquaculture*. 15: 19-33.
- Hahn, K., C. L. Brown and G. D. Pruder. 1994. Standard agricultural practices for the culture of specific pathogen-free organisms and their application to aquaculture. *Reviews in Fisheries Science* 2(2): 315-330.
- Helgason, S. 1985. Diseases of salmonids on fish-farms in Iceland. Salmon Farming Conference. 16 pp.
- Herman, R. L. 1970. Prevention and control of fish disease in hatcheries. *In: Symposium on diseases of fishes and shellfishes*. Am. Fish Soc. Snieszko, S. F., (Ed.). Spec. Publ. 5: 3-15.
- Hewitt, G. C. 1972. Hygiene in New Zealand trout hatcheries. N. Z. Mar. Dep. Fish. Tech. Rep. No. 86. 12 pp.
- Hnath, J. G. 1983. Hatchery disinfection and disposal of infected stocks. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 121-134.
- Hoffman, G. L. 1974. Disinfection of contaminated water by ultraviolet irradiation, with emphasis on whirling disease (*Myxosoma cerebralis*) and its effect on fish. *Trans. Am. Fish Soc.* 103: 541-550.
- Horner, R. W. 1983. Chemotherapy. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin*. Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 99-109.
- Howard, F. J. 1980. Trout culture in the United States and its possible application in Latin American countries. Mem. 2nd Latin Amer. Symp. Aquaculture 1: 2051-2066.
- Iversen, R. T. B. and C. L. Brown. 1993. A Preliminary Business Opportunity Plan for Specific Pathogen-free Shrimp Culture Facilities in Hawaii and Guam. USDA/CTSA publication number 113. Waimanalo, Hawaii. 86 pp.

- Kincaid, H. L. 1976a. Inbreeding in rainbow trout populations (*Salmo gairdneri*). *J. Fish Res. Board Can.* 33: 2420-2426.
- Kincaid, H. L. 1976b. Effects of inbreeding on rainbow trout populations. *Trans. Am. Fish Soc.* 195: 273-280.
- Krueger, C. C., A. J. Gharrett, T. R. Dehring and F. W. Allendorf. 1981. Genetic aspects of fisheries rehabilitation programs. *Can. J. Fish. Aquat. Sci.* 38: 1877-1881.
- Kuljis, A. and C. L. Brown. 1992. A Market Study of Specific Pathogen-Free Shrimp. USDA/CTSA publication number 112. Waimanalo, Hawaii. 54 pp.
- MacMillan, J. R., C. Wilson and A. Thiyagarajah. 1989. Experimental induction of proliferative gill disease in specific pathogen-free channel catfish. *J. Aquat. Anim. Health* 1: 245-254.
- McIntyre, J. D. 1977. Heritable tolerance of disease in salmonids. *In: Proc. Int. Sympos. Dis. of Cult. Salm.* Seattle, Wash. 87-90.
- McIntyre, J. D. and D. F. Amend. 1978. Heritability of tolerance for infectious hematopoietic necrosis in sockeye salmon (*Oncorhynchus nerka*). *Trans. Am. Fish Soc.* 107: 305-308.
- Mawdesley-Thomas, L. E. (Ed.). 1972. Diseases of Fish. Academic Press, London. 380 pp.
- Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). 1983. A Guide To Integrated Fish Health Management In The Great Lakes Basin. Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 272.
- Mudrak, V. A. 1983. Genetics and fish health. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 75-85.
- Pettijohn, L. L. 1983. Routine fish disease monitoring. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 89-97.
- Pillai, C. T. 1981. Fish and shellfish diseases in culture systems. 5. Prophylaxis and disease checkup. *J. Seafood Export.* 13 (9): 23-26.
- Poynter, R. 1983. Stock and year-class separation. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 59-61.

- Pruder, G. D., C. L. Brown, J. Sweeney and W. Carr. 1995. High-health shrimp systems: Seed supply - theory and practice. *In: Swimming Through Troubled Water. Proc. of the Special Session on Shrimp Farming.* Browdy, C. L. and J. S. Hopkins, (Eds.). Aquaculture '95. World Aquaculture Society. Baton Rouge, La. 40-51.
- Roberts, R. J. 1978. Fish Pathology. Balliere Tindall, London. 318 pp.
- Roberts, R. J. and C. J. Shepherd. 1974. Handbook of Trout and Salmon Diseases. Fishing News Books Ltd., Surrey, England. 168 pp.
- Ryman, N. and G. Stahl. 1980. Genetic changes in hatchery stocks of brown trout (*Salmo trutta*). *Can. J. Fish. Aquat. Sci.* 37: 82-87.
- Sanders, J. E., J. L. Fryer, D. A. Leith and K. D. Moore. 1972. Control of the infectious protozoan *Certomyxa shasta* by treating hatchery water supplies. *Prog. Fish Cult.* 34: 13-17.
- Sandifer, P. A., C. L. Browdy, M. Baird, J. S. Hopkins and A. D. Stokes. 1992. Intensive pond culture of the white shrimp, *Penaeus setiferus*, in South Carolina: Advantages and Limitations. Aquaculture '92: Growing Toward The 21st Century. 200 pp.
- Sippel, A. J. 1983. Water Supply Sanitation. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 49-57.
- Snieszko, S. F. 1974. The effects of environmental stress on outbreaks of infectious diseases of fishes. *J. Fish Biol.* 6: 197-208.
- Snieszko, S. F. (Ed.). 1970. A Symposium on Diseases of Fishes and Shellfishes. Am. Fish. Soc. Bethesda, Md. Spec. Publ. No. 5: 526 pp.
- Souter, B. W. 1983. Immunization with vaccines. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 111-119.
- Spotte, S. 1979. Fish and Invertebrate Culture: Water Management In Closed Systems. Second Edition. John Wiley and Sons, Toronto. 179 pp.
- Stokes, A. D., C. L. Browdy, J. S. Hopkins and P. A. Sandifer. 1993. Advances in Commercial Shrimp Farming in Coastal South Carolina. From Discovery To Commercialization. Carrillo, M., L. Dahle, J. Morales, P. Sorgeloos, N. Svennevig and J. Wyban (Eds.). Oostende Belgium European Aquaculture Soc. no. 19: 171.
- Styer, E. L., L. R. Harrison and G. J. Burtle. 1991. Experimental production of proliferative gill disease in channel catfish exposed to a myxozoan infected oligochaete, *Dero digitata*. *J. Aquat. Anim. Health.* 3 (no. 4): 288-291.

- Van Duijin, C. 1973. Diseases of Fishes. Charles Thomas. Springfield, Ill. 372 pp.
- Vestergard-Jorgensen, P. E. 1977. Surveillance and eradication of diseases from hatcheries. *In: Proc. Int. Sympos. Dis. of Cult. Salm. Seattle, Wash.* 72-73.
- Vlasenko, M. I. 1969. Ultraviolet Rays as a method for the control of diseases of fish eggs and young fishes. *Probl. Ichtyol.* 9: 697-705.
- Warren, J. W. 1981. Diseases of Hatchery Fish: a Fish Disease Manual. U. S. Fish and Wildlife Service. Twin Cities, Minn. 91 pp.
- Warren, J. W. 1983. Synthesis of fish management program. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 151-158.
- Warren, J. W. 1983. The Nature of fish diseases. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 7-13.
- Wedemeyer, G. 1970. The Role of stress in the disease resistance of fishes. *In: Sympos. on diseases of fishes and shellfishes, Am. Fish Soc. Snieszko, S.F., (Ed.). Spec. Publ. 5: 30-35.*
- Wellborn, T. L. Jr., T. E. Schwedler and J. R. MacMillan Jr. 1983. Regulations for transport of fish out-of-state. *For Fish Farmers.* 1-7.
- Westers, H. 1983. Considerations in hatchery design for the prevention of diseases. *In: A Guide to Integrated Fish Health Management in the Great Lakes Basin.* Meyer, F. P., J. W. Warren and T. G. Carey, (Eds.). Great Lakes Fishery Commission, Ann Arbor, Mich. Spec. Pub. 83-2: 29-35.
- Westers, H. and K. M. Prat. 1977. Rational design of hatcheries for intensive salmonid culture based on metabolic characteristics. *Prog. Fish Cult.* 39: 157-165.
- Winter, G. W. G., C. B. Schreck and J. D. McIntyre. 1980. Resistance of different stocks and transferrin genotypes of coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*) to bacterial kidney disease and vibriosis. *Oreg. Fish Comm. Fish Bull.* 77: 795-802.
- Wolf, K., M. C. Quimby, C. P. Carlson and G. L. Bullock. 1968. Infectious pancreatic necrosis: selection of virus-free stock from a population of carrier trout. *J. Fish Res. Board Can.* 25: 383-391.
- Wolf, L. E. 1953. Development of disease resistant strains of fish. *Trans. Am. Fish Soc.* 83: 342-349.

- Wyban, J. A. 1993. High Health Shrimp Production: From Discovery To Commercialization. Carrillo, M., L. Dahle, J. Morales, P. Sorgeloos, N. Svennevig and J. Wyban, (Eds.). Oostende Belgium European Aquaculture Soc. no. 19: 181.
- Wyban, J. A., J. S. Swingle, J. N. Sweeney and G. D. Pruder. 1993. Specific pathogen-free *Penaeus vannamei*. *World Aquaculture*. 24: 39-45.

Swine

- Ahlschwede, W. T. 1973. SPF, A healthy alternative. *Hog Farm Management* 10 (13): 54-60.
- Akaike, Y. 1971. Practical Use and Breeding of SPF Swines, Problems of Overseas SPF Pig Breeders. *Chikusan Kenkyu* 25 (4): 529-534.
- Bahr, K. H. 1968. "Breeding Specific Pathogen-free Baby Pigs with Special Consideration of Substitution Prophylaxis with Gamma Globulin (Zuz Aufzucht spezifisch pathogenfreier Ferkel unter besonderer Berücksichtigung der Substitutionsprophylaxe mit gammaglobulin)." *Hanover Tierärztliche Hochschule Dissertation* no. 7. 64 pp.
- Baldry, A. F. 1976. SPF pig herds in Denmark. *State. Vet. J.* 31 (93): 212-217.
- Bastell, H. A. H. 1976. Specific pathogen-free swine production (SPF-svineproduktion). *Ugeskr. Agron. Hortonomer. Forstkandidater. Licentiaten*. 121 (47/48): 978-981.
- Borontai, I. 1983. Economic significance and opportunities of breeding SPF pigs in Hungary (Az SPF-sertések tenyésztésének gazdasági jelentősége és lehetőségei hazánkban). *Allattenyészt. Takarmanyozás Anim. Breed. Feed.* 32 (1): 23-25.
- Caporale, G. 1971. Creation of swine specific pathogen-free centers (Creazione di nuclei suini SPF). *Suinicoltura* 12 (7): 11-25.
- Caporale, G. 1972. Creation of a nucleus of specific pathogen-free swine (La creazione de nuclei suini S.P.F.). *G. Allevatori*. 22 (2): 79-90.
- Chen, C., T. C. Lin, S. S. Chen, H. S. Yang, Y. P. Lin and D. F. Lin. 1972. Production of secondary specific pathogen-free pigs. *Taiwan Agr. Quart.* 8 (3): 58-66.
- Chrzanowski, A. 1972. Production of specific pathogen-free pigs (Produkcja swin SPF, czyli wolnych od zarazkow). *Przegl. Hodowlany*. 40 (12): 17-19.
- Coates, A. 1991. Current breeding practices in swine. U. S. Marine Shrimp Farming Program Shrimp Breeding Workshop. Report of The Oceanic Institute, Honolulu, Hawaii. 35 pp.

- Curnock, R. M., B. N. Day and P. J. Dziuk. 1976. Embryo transfer in pigs, a method for introducing genetic material into primary specific pathogen-free herds. *Am. J. Vet. Res.* 37 (1): 97-98.
- David, P. J., R. K. Johnson and T. E. Socha. 1983. Genetic and phenotypic parameters estimated from Nebraska specific pathogen-free swine field records. *J. Anim. Sci.* 57 (5): 1117-1123.
- David, P. J., R. K. Johnson and T. E. Socha. 1985. Selection practices and genetic and phenotypic trends estimated from Nebraska SPF swine field records. *J. Anim. Sci.* 61 (6): 1411-1420.
- de Juana, A. 1975. Production of specific pathogen-free swine in Denmark (La produccion de cerdos SPF en Dinamarca). *Av. Aliment. Mejora. Anim.* 16 (3): 161-162.
- Drewsen, A. 1971. Specific pathogen-free swine production in practice (SPF-svienproduktion i praksis). *Landbonyt.* 25 (9): 449-459.
- Ejner-Petersen, H. 1972. Liquidity considerations in reconstruction of a sow herd after use of the specific pathogen-free method (Likviditetsbetragtninger ved sanering af sobesaetninger efter SPF-metoden). *Tolvmandsbladet.* 44 (5): 267-222.
- Gabrys, A., J. Gasiorek and W. Nowok. 1977. Production of gnotobiotic piglets and its importance for development of swine industry in Poland (Produkcja swin technika gnotobiotyczna oraz jej znaczenie dla rozwoju hodowli trzody chlewnej w Polsce). *Nowe Roln.* 26 (6): 23-27.
- Gindale, H. R. 1974. Practical experiences with specific pathogen-free methods in rearing piglets on farms (Praktische Erfahrungen mit SPF-Verfahren in Ferkelerzeugerbetrieben). *Tierzucht.* 26 (12): 533-535.
- Gindele, H. R. 1975. Success in managing specific pathogen-free piglets and fattening farms (Betriebserfolg in SPF-Ferkelerzeuger und Mastbetrieben). *Tierzuchter.* 27 (10): 432-434.
- Gindele, H. R. 1978. Specific pathogen-free method not free from setbacks (SPF-Verfahren nicht frei von Ruckschlagen). *DLG Mitt Dtsch. Landwirtschaft. Ges.* 93 (4): 190-191.
- Gindele, H. R., E. Beck and W. Koppen. 1974. Existing experiences and steps resulting from these for the construction, management and healthy rearing of specific pathogen-free swine herds (Bisherige Erfahrungen und daraus sich ergebende Massnahmen fur den Aufbau, den Betrieb und die Gesunderhaltung von SPF-Schweinebestanden). *Tierarztl. Umsch.* 29 (9): 480-482.

- Gindele, H. R., E. Beck, W. D. Koppen and W. Hamel. 1976. Specific pathogen-free program in Baden-Württemberg: Ten years' experiences and future prospects (10 Jahre SPF-Programm in Baden-Württemberg, Erfahrungen und Ausblick). *Zuchtungskunde* 48 (3): 217-226.
- Graham, J. 1976. An objective analysis of the SPF program. *In: International Pig Veterinary Society, Proceedings of the International Congress Fourth*. 7.
- Gregor, G., H. G. Bohrisch and H. Knorck. 1980. Experience from specific pathogen-free (SPF) keeping of Mini-Lewe miniature pigs (Erfahrungen mit der spezifisch-pathogenfreien Haltung (SPF) des Miniaturschweines Mini-Lewe). *Monatsh Veterinarmed.* 35 (5): 190-193.
- Haug. 1973. Restoration of swine stocks through specific pathogen-free experiences in Baden-Württemberg (Die Sanierung von Schweinebeständen durch das SPF-Verfahren in Baden-Württemberg). *Tierzuchter.* 25 (7): 280-284.
- Heidecke, F. W. 1977. Preventive measures in specific pathogen-free swine herds (Vorbeugungsmassnahmen in SPF-Schweinebeständen). *Prakt. Tier.* 58 (1): 44-46.
- Hultman, H. 1973. Specific pathogen-free swine. *Lantmannen.* 84 (4): 16-17.
- Intizarov, M. M. 1978. Creation of a specific pathogen-free status in a laboratory animal model Guinea pig. *S. kh. Biol.* 13 (5): 756-761.
- Jensen, H. K. and K. S. Madsen. 1980. Little risk of re-infection in the production of Danish specific pathogen-free swine (Ringe reinfektionsrisiko i dansk SPF-svineproduktion). *Dan. Veterinaertidsskr.* 63 (6): 229-232.
- Jung, Y. C., S. H. Kim, C. S. Chung and Y. I. Park. 1989. Analysis of growth patterns in pigs. 1. Growth patterns of specific pathogen-free (SPF) swine. *Kor. J. Anim. Sci.* 31 (11): 666-676.
- Keller, H. 1988. The Swiss Pig Health Service (PHS). *In: Proceedings International Pig Veterinary Society 10th Congress*. 334 pp.
- Keller, H. 1980. Current actual problems with the Swiss (SPF) specific pathogen-free program *Mycoplasma hyopneumoniae* infection of sows. (Aktuelle Probleme des Schweizerischen SPF-Programmes). *Dtsch. Tierarztl. Wochenschr.* 87 (12): 449-451.
- Lambotte, J. L., J. Moes, M. Pecheur, E. Coignoul, J. Lefebvre and A. Dewaele. 1990. Adaptation of germ-free piglets to SPF or conventional conditions (Adaptation de porcelets germ-free aux conditions SPF et au milieu conventionnel). *Annales de Medecine Veterinaire.* 134 (1): 41-44.

- Louvard, G. 1980. Cesarean delivery of specific pathogen-free piglets (L'obtention par césarienne de porcelets sans germes pathogènes). *Elev. Porcin.* 101: 23-25.
- Madsen, P. 1988. Twenty years with the Danish SPF programme. In: Proceedings International Pig Veterinary Society 10th Congress. 333 pp.
- Mandrup, M. 1971. Specific pathogen-free pig production (SPF-svineproduktion). *Landbonyt.* Special no. 64-70.
- Matray, A. 1982. SPF (specific pathogen-free) swine breeding program in the agricultural combine of Babolna. (SPF sertestenyesztesi program a Babolnai Mezőgazdasági Kombinatban). *Magy. Allatorv. Lapja. Hung. Vet. J.* 37 (3): 167-169.
- Muzzi, A. 1978. How to organize the rearing of specific pathogen-free swine (Com'è organizzare un allevamento SPF). *Suinicoltura* 19 (6): 33-34.
- Namioka, S. 1981. Present production status of specific pathogen-free swine in Japan and foreign countries: Great Britain, U.S.A. *Chikusan Kenkyu Anim. Husb.* 35 (9): 1077-1081.
- Overfield, J. R., G. L. Cromwell and V. W. Hays. 1968. Performance of SPF Yorkshire herd at West Kentucky substation from 1963 to 1967. *Prog. Rep. Ky. Agric. Exp. Stn.* 176: 57-59.
- Park, K. S., D. K. Shin, C. I. Son, S. Namgoong, C. O. Choi, C. S. Choi, Y. B. Kwon, J. M. Park, D. S. Shul, S. J. Kim, B. H. Kim, S. B. Kim and H. S. Chu. 1984. Studies on Establishment and Maintenance Techniques for Rearing Specific Pathogen-Free Swine and Evaluation of the Performance of Disease-Free Pigs. Research Reports of the Office of Rural Development, Korea. *Livestock, Veterinary.* 26 (1): 46-60.
- Peters, E., K. H. Bahr, K. Kroger and F. Feuerhake. 1971. Investigations about fattening performance and carcass quality of specific pathogen-free swine (Untersuchungen über Mast und Schlachtleistung von SPF-Schweinen). *Deut. Tierärztl. Wochenschr.* 78 (21): 576-579.
- Petersen, P. K. 1973. Specific pathogen-free swine in swine raising (S.P.F. svineproduktion ipraxis). *Landbonyt.* 27 (2): 93-98.
- Qualandi, G. L. 1972. New methods for raising animals, germ-free swine (Nuovi metodi di allevamento, i suini SPF). *Suinicoltura* 13 (11): 7-14.
- Ravaud, M. 1980. The specific pathogen-free option: conditions for success at the level of rearing swine (L'option IOPS., les conditions de réussite au niveau de l'élevage). *Elev. Porcin.* 101: 26-33.
- Sasazaki, R. and S. Shono. 1971. Breeding of specific pathogen-free swine and its future. *Chikusan Kenkyu.* 25 (1): 3-6.

- Sattler, H. G. 1982. Production and raising of specific pathogen-free primary piglets (SPF) at the regional veterinary institute of Bad Langensalza (Gewinnung und Aufzucht von spezifisch-pathogenfreien (SPF) Primarferkeln im Bezirksinstitut für Veterinarwesen Bad Langensalza). *Monatsh Veterinarmed.* 37 (2): 53-58.
- Sattler, H. G., T. Hubrig, P. Kielstein, D. Schimmel, G. Lohrengel and K. Schwarz. 1978. Rearing of specific pathogen-free swine (Das spezifisch-pathogenfreie Verfahren (SPF) beim Schwein). *Tierzucht.* 32 (10): 469-471.
- Schulz, K. D., S. Renner, E. Kruger and K. R. Appel. 1976. Some data on establishing a specific pathogen-free guinea pig colony. *Lab. Anim. Sci.* 26 (2, pt. 2): 288-292.
- Sickel, E. 1968. Breeding Station for SPF Piglets: Tasks, Planning and Construction of a Breeding Station for Specific Pathogen-Free Piglets (Aufzuchtstation für SPF-Ferkel aufgabe, Planung und Bau einer Aufzuchtstation für spezifisch pathogen-freie Ferkel). Hannover, M. & H. Schaper. 140 pp.
- Sickel, E. 1968. Problems, planning and building of a breeding station for specific pathogen-free piglets (Aufgabe, Planung und Bau einer Aufzuchtstation für spezifisch pathogen-freie Ferkel). *Munich Universitat. Tierärztliche Fakultät. Dissertation no. 65.* 142 pp.
- Smelski, R. 1981. Current Basics of SPF (Specific Pathogen-Free) in Ontario. Swine, Infectious Diseases. 1981 South Western Ontario Pork Producers' Conference. K1-K5.
- Thiry, R. and P. Guillin. 1975. Specific pathogen-free swine breeding program, results and comments (Quatre années d'élevage S.P.F. Resultats et reflexions). *Rev. Med. Vet. Toulouse.* 126 (11): 1507-1518.
- Thomsen, A. and N. J. Jensen. 1974. Specific pathogen-free swine production in practice (SPF-svineproduktion i praksis). *Medlemsbl. Dan. Dyrlaegeforen.* 57 (9): 371-373.
- Totsuka, K. and I. Suwabe. 1981. Automatic feeding installation for the nursing and production of specific pathogen-free piglets. *Chikusan Kenkyu Anim. Husb.* 35 (12): 1455-1462.
- Tsay, C. E., C. N. Weng, P. C. Yang, G. S. Sheu and R. M. Chu. 1990. Laboratory facility and growth performance of SPF pigs. *J. Chin. Soc. Vet. Sci.* 16 (2): 143-152.
- Underdahl, N. R. 1968. Nebraska's Specific Pathogen-Free (SPF) Swine Program, Tenth Year Report. University of Nebraska College of Agriculture and Home Economics. Agricultural Experiment Station. 499. 15 pp.
- Underdahl, N. R. 1973. Specific Pathogen-Free Swine Development, Application, Consequences. University of Nebraska Press, Lincoln, Nebr. 157 pp.

Woods, G. T. and M. E. Mansfield. 1976. Health implications for feeding antibiotics to SPF pigs. *Dixon Springs Agric. Cent.* 4: 227-229.

Wu, F. M., J. J. Shyu and H. K. Lin. 1984. Research and development of the Lan-Yu miniature pig: Establishment of a specific pathogen-free laboratory. *Taiwan Journal of Veterinary Medicine and Animal Husbandry* 44: 1-9.

Poultry

Ando, T., K. Ono, T. Ishikawa, M. Hayashi, I. Yoshida, T. Kohnobe, K. Takaku, N. Kunita and K. Fukai. 1991. Application of ELISA for avian leukosis virus antibody detection monitoring system of specific pathogen-free chicken. *Japanese Poultry Science* 28 (2): 101-109.

Azuma, Y. and H. Itoh. 1991. Production of specific pathogen-free eggs, IV. Comparison of egg-laying performance of SPF chickens in three generations of K, H and T line. *Japanese Poultry Science.* 28 (4): 239-244.

Azuma, Y. and H. Itoh. 1991. Production of specific pathogen-free eggs, V. Comparison of egg-laying performance among crossbred SPF chicken flocks. *Japanese Poultry Science.* 28 (4): 228-235.

Azuma, Y., H. Itoh and S. Tsubaki. 1985. Production of specific pathogen-free eggs. I. SPF chicken houses. *Japanese Poultry Science.* 22 (4): 226-230.

Azuma, Y., S. Masu and H. Itoh. 1985. Production of specific pathogen-free eggs. II. SPF chicken and layer performance. *Japanese Poultry Science.* 22 (4): 231-236.

Azuma, Y., Y. Kondo and H. Itoh. 1990. Production of specific pathogen-free eggs. III. Comparison of egg laying performance of SPF chickens in three generations between the caged and floor feeding system. *Japanese Poultry Science* 27 (3): 211-214.

Cooper, D. M. 1970. Poultry, principles of disease control. I. Production of specified pathogen-free stock by management environment control. *Vet. Rec.* 86 (14): 388-396.

Dennett, D. P. and T. J. Bagust. 1979. Application of a flexible-film isolator for rearing specific pathogen-free chickens and investigating poultry pathogens. *Avian Pathol.* 8 (3): 289-300.

Dungan, W. M. 1972. Specific pathogen-free breeding turkeys: the progress and outlook. U. S. Livest. Sanit. Assoc. Proc. 75: 506-508.

- Egan, B. J., D. M. Cooper and P. M. Geater. 1979. A small hatching incubator for rearing specified pathogen-free chicken. *Lab. Anim. Land.* 13 (3): 245-247.
- Giambrone, J. J. and T. L. Hathcock. 1991. Efficacy of coarse-spray administration of a reovirus vaccine in young chickens. *Avian Dis.* 35 (1): 204-209.
- Heider, G., E. Prusas and D. Ebner. 1976. Specific pathogen-free fowl flock based on animals from poultry breeding centre (Ergebnisse des Aufbaues einer SPF-Huhnerzuchttherde aus Zuchttieren der Wirtschaftsgeflugelzucht). *Monatsh Veterinarmed.* 31 (9/10): 382-393.
- Heider G., K. Klaczinski, C. Prusas, A. Hlinak, P. Minning, B. Kieper, N. Werner and C. Heiduk. 1990. Use of indirect ELISA to detect antibodies to virus pathogens of poultry diseases. *Monatshefte Fuer Veterinaermedizin.* 45(19/20): 698-702.
- Kreienbrink, G. and J. Kant. 1979. Working hours analysis of rearing and breeding of specific pathogen-free fowl (Die Anwendung des Arbeitszeitstudiums im Produktionsbereich der Haltung und Zucht von SPF-Huhnern). *Monatsh Veterinarmed.* 34 (7): 245-247.
- Mitchell, B. W. 1986. Microcomputer-based environmental control system of a disease-free poultry house. *Trans. Am. Soc. Agric. Eng.* 29 (4): 1136-1140.
- Mitchell, B. W., C. W. Beard and H. W. Yoder Jr. 1989. Recent advances in filtered-air, positive-pressure (FAPP) housing for the production of disease-free chickens. *Avian Dis.* 33 (4): 792-800.
- Molinete, M. C., C. Forte, J. Fernandes, L. Francis and S. Ferrera. 1988. Application of gnotobiotic husbandry to white leghorns (Aplicacion de la gnotobiosis en aves de la raza White Leghorn). *Revista Cubana de Ciencia Avicola.* 15 (1): 1-14.
- Moreau, Y., J. F. Bouquet and J. Terre. 1979. Specific pathogen-free and controlled avian eggs (Oeufs S.P.F. et controles aviaires). *Bull. Soc. Sci. Vet. Med. Comp. Lyon.* 81 (3): 153-157.
- Papp, M. and B. Toth. 1977. Experiences on the establishment, maintenance and control of specific pathogen-free poultry farms (Tapasztalatok SPF-baromfiállomány letesíté serol, fenntartásáról és ellenőrzéséről). *Magy. Allatorv. Lapja.* 32 (1): 39-43.
- Park, K. S., S. J. Kim, C. O. Choi, K. R. Oh and D. G. Sin. 1975. Studies on Establishment of SPF Chicken Flocks and SPF Egg Production. *Res. Rep. Off. Rural. Dev.* 17: 71-85.
- Popa, V., N. Tuschak and P. Stiube. 1973. What is new in the problem of specific pathogen-free poultry (Ce este nou in problema pasarilor libere de germeni patogeni specifici). *Rev. Zooteh. Med. Vet.* 23 (7): 77-78.

- Rao, G. V. 1980. Rearing and maintenance of specific pathogen-free (SPF) chicken—a review. *Indian Poult. Gaz.* 64 (3): 79-87.
- Saif, Y. M. 1974. Maintenance of a specific pathogen-free turkey flock. *Poult. Sci.* 53 (2): 544-546.
- Saif, Y. M. and E. H. Bohl. 1970. Progress Report on the Ohio Agricultural Research and Development Center (OARDC) Specific Pathogen-Free Turkey Flock. *Ohio Agr. Res. Develop. Center Res. Sum.* 47: 52-53.
- Sandelin, K. and T. Estola. 1975. Testing and management of a specific pathogen-free chicken flock with special reference to avian leukosis virus infections. *Acta Vet. Scand.* 16 (3): 341-356.
- Shieh, H. K., Y. C. Yiau, J. C. Huang, J. S. Lai and Y. F. Yang. 1982. Establishment of SPF (specific pathogen-free) chicken flock in Taiwan, Republic of China. (Chung hua Min Kuo Shou I Hsueh Hui Tsa Chih). *J. Chin. Soc. Vet. Sci.* 8 (2): 129-133.
- Skovgaard, N. 1987. Prevention of microbial contamination in the *ante mortem* phase, the SPF (specific pathogen-free) concept, elimination of pathogenic organisms from meat and poultry. *In: Proc. of the Int. Symposium, Prevention of Contamination, and Decontamination in the Meat Industry.* F. J. M. Smulders, (Ed.). 39-56.
- Tucker, J. F. and L. D. Hanks. 1974. Isolators and monitoring methods for SPF laboratory poultry. *J. Inst. Anim. Tech.* 25 (2): 67-74.
- Tuschak, N. and I. Patrascu. 1970. Economic and scientific importance of SPF poultry (Importanta economica si stiintifica a pasarilor SPF). *Rev. Zootech. Med. Vet.* 20 (7): 69-74.
- Vielitz, E. 1977. Possibilities and problems of specific pathogen-free poultry husbandry [in relation to use of eggs for testing vaccines] (SPF-Geflugelhaltung, Moglichkeiten und Probleme). *Prakt. Tier.* 58 (1): 19-22.
- Vielitz, E., H. Landgraf and R. E. Luginbuhl. 1974. Test methods for the examination of specific pathogen-free poultry flocks (Testmethoden fur die Untersuchung von SPF-Geflugel herden). *DTW Dtsch. Tierarztl. Wochenschr.* 81 (21): 507-509.
- Wang, X. 1987. A report on monitoring technological studies for SPF chicken diseases. *Scientia Agricultura Sinica, Special Issue.* 187-190.
- Yamamoto, S., Y. Ito, S. Takahashi and H. Takahashi. 1989. Production of the germ-free quails and their microbiological monitoring. *Research Report from the National Institute for Environmental Studies, Japan.* 124: 27-34.

Zhu, G., L. L. Wang, X. M. Zhang, W. X. Shi and K. Furuta. 1988. Problems on management of specific pathogen-free (SPF) chickens maintained in China and their performance. *Japanese Poultry Science*. 25 (4): 241-248.

Rabbits

Appel, K. R., H. Busse, K. D. Schulz and W. Wilk. 1971. A contribution to the hand-rearing of gnotobiotic and SPF rabbits (Beitrag zur Handaufzucht von gnotobiotischen und SPF Kaninchen). *Z. Versuchstierkunde*. 13 (5): 282-290.

Baba, E., M. Kusanagi, T. Fukata and A. Arakawa. 1987. Establishment of specific pathogen-free rabbits by inoculation of hysterectomy-derived rabbits with fecal suspension and anaerobic bacteria. *Lab. Anim. Sci.* 37 (6): 765-768.

Eveleigh, J. R., W. T. C. Taylor and R. F. Cheeseman. 1984. The production of specific pathogen-free rabbits. *Animal Technology*. 35 (1): 1-12.

Harkness, J. E. and J. E. Wagner. 1983. General husbandry. *In: The Biology and Medicine of Rabbits and Rodents*. Lea and Febiger. Philadelphia. Chapter 1.

Kruijt, B. C.. 1985. Establishing colonies of specific pathogen-free (SPF) guinea pigs and rabbits. *In: The Contribution of Laboratory Animal Science to the Welfare of Man and Animals—Past, Present and Future*. 8th Symposium of ICLAS/CALAS. Archibald, J., J. Pitchfield and H.C. Rowsell, (Eds.). 439-445.

Murata, Y., Y. Katumata, M. Tada, S. Suzuki and T. Yui. 1972. Experimental trials on the establishment of breeding colony of the specific pathogen-free rabbit. I. Procedures for establishment and maintenance. Takeda Kenkyusho Takeda Kenkyusho Ho. *J. Takeda. Res. Lab.* 31 (1): 42-55.

Scharmman, W. 1990. First results of breeding SPF rabbits in floor pens (Erste Erfahrungen mit der Zucht von SPF-Kaninchen in Boden-Gruppenhaltung). 7. Arbeitstagung über Haltung und Krankheiten der Kaninchen. Pelztiere und Heimtiere. *Deutsche Veterinärmedizinische Gesellschaft*. 22-28.

Schellenberg, P. 1975. Creation of a specific free-pathogen rabbit, indispensable material for research in pathology (Creation d'une souche de lapin SPF, matériel indispensable pour les recherches en pathologie). *In: Proceedings of the World Veterinary Congress 20th*. 3: 2437-2443.

Scher, S., G. R. Collins and S. H. Weisbroth. 1969. The establishment of a specific pathogen-free rabbit breeding colony. I. Procedures for establishment and maintenance. *Lab. Anim. Care.* 19 (5, pt. 1): 610-616.

Weisbroth, S. H. and S. Scher. 1969. The establishment of a specific pathogen-free rabbit breeding colony. II. Monitoring for disease and health statistics. *Lab. Anim. Care* 19 (6): 795-799.

Miscellaneous farm animals and products

Bartlett, D. E., L. L. Larson, W. G. Parker and T. H. Howard. 1976. Specific pathogen-free (SPF) frozen bovine semen, a goal? *In: Proceedings of Technical Conference on Artificial Insemination and Reproduction* 6th. 11-22.

Chong, Y. C., W. P. H. Duffus, H. J. Field, D. A. Gray, A. R. Awan, M. A. O'Brien and D. P. Lunn. 1991. The raising of equine colostrum-deprived foals, maintenance and assessment of specific pathogen (ehv-1/4) free status. *Equine Vet. J.* 23 (2): 111-115.

Dufty, J. H. 1976. Specific pathogen-free and gnotobiotic farm animals. *Aust. Vet. J.* 52 (8): 355-361.

Favero, M. S., J. J. McDade, J. A. Robertsen, R. K. Hoffman and R. W. Edwards. 1968. Microbiological sampling of surfaces. *J. Appl. Bact.* 31: 336-343.

Foote, W. C., J. W. Call, A. Maciulis, R. C. Evans, J. R. Pitcher, C. Gipson and M. R. Marshall. 1989. Developing specific pathogen-free (SPF) sheep by embryo transfer. *North American Dairy Sheep Symposium*. Boylan, W. J., (Ed.). 125-133.

Marius-Jestin, V., C. Prigent, R. L'Hospitalier, M. Guittet and G. Bennejean. 1986. Titration of *Mycoplasma anatis* antibodies in muscovy ducks sera by haemagglutination and metabolism inhibition tests. *Recl. Med. Vet. Ec. Alfort, Paris.* 162 (5): 567-574.

Stringfellow, D. A., K. P. Riddell and O. Zurovac. 1991. The potential of embryo transfer for infectious disease control in livestock. *New Zealand Vet. J.* 39 (1): 8-17.

Tsugo, T. 1974. The development of aseptic pathogen-free milk. *Anim. Husb.* 28 (1): 207-212.

Waxler, G. L. 1969. The role of the "specific pathogen-free" system for improving animal production. *Nat. Acad. Sci. Use Drugs Anim. Feeds. Proc.* 114-122.

Laboratory animals, research and biomedical models

- Bell, D. P., P. C. Elmes and S. M. Wheeler. 1964. A colony of specific pathogen-free rats. *Nature* 201: 273-274.
- Blackmore, D. K. 1972. Accidental contamination of a specified pathogen-free unit. *Laboratory Anim.* 6 (3): 257-271.
- Bleby, J. 1972. Disease-free (SPF) animals. *In: UFAW Handbook on the Care and Management of Laboratory Animals*, fourth ed. Churchill Livingstone, London. 121-132.
- Bleby, J. 1976. Disease-free (SPF) animals. *In: UFAW Handbook on the Care and Management of Laboratory Animals*, fifth ed. Churchill Livingstone, N.Y. 123-134.
- Bleby, J. 1979. The specific pathogen-free (SPF) cat as an experimental model toxoplasmosis: Animal quality and models in biomedical research. *In: 7th symposium of the International Council for Laboratory Animal Science (ICLAS)*. Spiegel, A., S. Erichsen and H. A. Solleveld, (Eds.). 109-113.
- Bleby, J. and A. Lacey. 1969. The establishment of a specific pathogen-free cat (*Felis catus*) colony. *J. Small Anim. Pract.* 10 (4):237-248.
- Deerberg, F. and W. Pittermann. 1978. The effect of germ-free and SPF (specific pathogen-free) maintenance conditions on the lifespan and diseases of small laboratory animals. *J. So. Afr. Vet. Assoc.* 49 (3): 179-182.
- Drepper, K. 1967. Production of diets for SPF and germ-free animals with special regard to injury of the protein value following sterilization. *In: Husbandry of Laboratory Animals*. Conalty, M. L., (Ed.). Academic Press, N.Y.. 207-216.
- Einer-Jensen, N. and E. Nielsen. 1972. Adaptation in SPF mice which are transferred into a conventional animal house. *Z. Versuchstierkunde* 14 (2): 72-82.
- Festing, M. F. W. and D. K. Blackmore. Life span of specified pathogen-free (MRC category 4) mice and rats. *Lab. Anim.* 5 (2): 179-192.
- Foster, H. L. 1962. Establishment and operation of SPF colonies. *In: The Problems of Laboratory Animal Disease*. Harris, R. J. C., (Ed.). Academic Press, N.Y.. 249-259.
- Foster, H. L. 1963. Specific pathogen-free animals. *In: Animals for Research, Principles of Management and Breeding*. Lane-Petter, W., (Ed.). Academic Press, N.Y.. 109-138.
- Foster, H. L., C. L. Black and E. S. Pfau. 1964. A pasteurization process for pelleted diets. *Lab. Anim. Care.* 14: 373-381.

- Fox, J. G. and M. E. Helfrich-Smith. 1980. Chemical contamination of animal feeding systems: evaluation of two caging systems and standard cage-washing equipment. *Lab. Animal Sci.* 30 (6): 967-973.
- Goldstein, B. 1978. The breeding and use of specific pathogen-free (SPF) rats. *J. So. Afr. Vet. Assoc.* 49 (3): 183.
- Heidt, P. J., J. P. Koopman, H. M. Kennis, J. T. M. van den Logt, M. P. C. Hectors, F. M. Nagen-gast, C. P. J. Timmermans and C. W. de Groot. 1990. The use of a rat-derived microflora of providing colonization resistance in SPF rats. *Lab. Anim.* 24 (4): 375-379.
- Heine, W. 1978. Operating procedures, equipment and housing facilities to maintain small labo-ratory animals under specific pathogen-free (SPF) conditions in large breeding colonies and in experiments. *J. So. Afr. Vet. Assoc.* 49 (3): 171-174.
- Heine, W. 1978. Twelve years experience in establishing larger colonies of small laboratory ani-mals under SPF (Specific Pathogen-Free) conditions by means of germ-free technology. *J. So. Afr. Vet. Assoc.* 49 (3): 175-177.
- Heine, W. 1980. How to define specific pathogen-free (SPF) laboratory animals. *Z. Ver-suchstierkd. J. Exp. Anim. Sci.* 22 (5/6): 262-266.
- Heinecke, H., (Ed.). 1989. Applied Laboratory Animal Science (Angewandte Versuchst-ierkunde). VEB Gustav Fischer Verlag. 315 pp.
- Hend, R. W. 1978. The concept of specific pathogen-free (SPF) and its influence on laboratory animal research. *J. Inst. Anim. Tech.* 29 (1): 41-49.
- Hoag, W. G., J. Strout and H. Meier. 1965. Epidemiological aspects of the control of *pseudo-monas* infection in mouse colonies. *Lab. Animal Care.* 15: 217-225.
- Hobbs, K. R., G. Clough and J. Bleby. 1977. The establishment of specified pathogen-free mar-mosets, *Callithrix jacchus*. *Lab. Anim.* 11 (1): 29-34.
- Holmberg, E., I. Kreft and L. Munck. 1975. Genetic differences in nutritional performance on some specific pathogen-free mice strains. *Hereditas.* 79 (2): 273-277.
- Hurni, H. 1979. Feeding experiments on specific pathogen-free cats (Fütterungsversuche mit SPF-Katzen). *DTW Dtsch. Tierarztl. Wochenschr.* 86 (9): 356-360.
- Hurni, H. 1981. SPF (specific pathogen-free) cat breeding. *Z. Versuchstierkd. J. Exp. Anim. Sci.* 23 (2): 102-121.

- Juhr, N. C. and S. Obi. 1970. An investigation of foods for SPF laboratory animals: Microbiological content of pasteurized laboratory animal diet (Untersuchungen von Futtermitteln für SPF-Versuchstiere Restkeimgehalt in pasteurisierten Versuchstierfuttern). *Berliner Munchener Tierarztl. Wochenschr.* 83 (14): 280-281.
- Juhr, N. C., S. Obi and M. Merckenschlager. 1970. Control of SPF status in laboratory animals: bacteriological scheme in laboratory rodents (Kontrolle des SPF-Status von Versuchstieren, bakteriologischer Untersuchungsgang bei Maus, Ratte, Meerschweinchen und Kaninchen). *Berliner Munchener Tierarztl. Wochenschr.* 83 (21): 422-424.
- Juhr, N. C., S. Obi, H. H. Hiller and F. Gruber. 1971. Control of SPF status of laboratory animals. checking for mycoplasma in commercially available rats (Kontrolle des SPF-Status von Versuchstieren Untersuchungen von kommerziell erhältlichen Ratten auf Mycoplasmen). *Berliner Munchener Tierarztl. Wochenschr.* 84 (4): 72-74.
- Kruijt, B. C. 1969. Comparative data of SPF and conventional methods on experimental laboratory animals. *Tijdschr. Diergeneesk.* 94 (6): 476-482.
- Kruijt, B. C. 1985. Establishing Colonies of Specific Pathogen-Free (SPF) Guinea Pigs and Rabbits, The Contribution of Laboratory Animal Science to the Welfare of Man and Animals—Past, Present and Future. 8th Symposium of ICLAS/CALAS. Archibald, J., J. Pitchfield and H.C. Rowsell, (Eds.). 439-445.
- Lang, C. M. 1978. Does management of facilities complement design considerations? *In: Symposium on Laboratory Animal Housing.* Nat. Acad. Sci. Washington, D.C. 7-10.
- Lang, C. M. 1980. Special design considerations for animal facilities. *In: Design of Biomedical Research Facilities.* Monogr. Ser. Nat. Inst. Health. 4: 117-127.
- Lang, C. M. 1983. Design and management of research facilities for mice. *In: The Mouse in Biomedical Research, Volume III: Normative Biology, Immunology and Husbandry.* Foster, H. L., J. D. Small and J. G. Fox, (Eds.). Chapter 3.
- Lang, C. M. and G. T. Harrel. 1969. An ideal animal resource facility. *Am. Inst. Archit J.* 52: 57-61.
- Lang, C. M., N. H. Altman, P. C. Brennan, R. D. Ediger, H. L. Foster, C. K. Hsu, F. J. Judge and J. D. Small. 1977. Laboratory Animal Management: Rodents. Report from the Committee on Rodents. Institute of Laboratory Animal Resources, Assembly of Life Sciences. National Research Council, National Academy of Sciences. L5-L15.
- Loew, F. M. 1980. Considerations in receiving and quarantining laboratory rodents. *Lab. Animal Sci.* 30: 323-329.

- Loew, F. M. and J. G. Fox. 1983. Animal health surveillance and health delivery system. *In: The Mouse in Biomedical Research, Volume III: Normative Biology, Immunology and Husbandry*. Foster, H. L., J. D. Small and J. G. Fox, (Eds.). Chapter 5.
- Marki, U., W. Rossbach and J. Leuenberger. 1988. Establishment of an SPF population of *Cricetulus griseus*. *In: New Developments in Biosciences, Their Implications for Laboratory Animal Science. Proceedings of the Third Symposium*. Beyneen, A. C. and H. A. Solleveld, (Eds.). 1353-1358.
- Martin, D. P., N. R. Contel and L. A. Logue. 1989. Maintaining a rodent facility free of adventitious murine viruses. *Zeitschrift fur Versuchstierkunde*. 32 (5): 214.
- Masson, P. 1971. Some problems on the maintenance of a SPF unit of rats in France. *Inst. Anim. Tech. J.* 22 (2): 83-92.
- Merkenschlager, M. and N. C. Jühr. 1971. Control of SPF-status in laboratory animals: Specific infection checks in dogs and cats (Kontrolle des SPF-Status von Versuchstieren Ausschluss spezifischer Infektionen bei Hund und Katze). *Berliner Munchener. Tierarztl. Wochenschr.* 84 (6): 111-115.
- Otis, A. P. and H. L. Foster. 1983. Management and design of breeding facilities. *In: The Mouse in Biomedical Research, Volume III: Normative Biology, Immunology and Husbandry*. Foster, H. L., J. D. Small and J. G. Fox, (Eds.). Chapter 2.
- Oudar, J. and J. Bonnod. 1971. The heteroxenic or SPF laboratory animals (Les animaux de laboratoire indemnes d'organismes pathogenes specifiques IOPS). *Rev. Med. Vet. Toulouse*. 34 (7): 715-732.
- Paterson, J. S. and R. Cook. 1969. The production and use of pathogen-free animals. *In: The IAT Manual of Laboratory Animal Practice and Techniques*. Short, D. J. and C. C. Thomas, (Eds.). 2nd edition. 410-429.
- Pelkonen, K. 1980. Gnotobioties and SPF (specific pathogen-free) animals—a review: Rodents (Gnotobiootit ja SPF-elaimet. Katsaus). *Suomen. Elainlaakaril. Fin. Veterinartidskr.* 86 (11): 433-439.
- Percy, D. H. and K. L. Williams. 1990. Experimental Parker's coronavirus infection in wistar rats. *Lab. Anim. Sci.* 40 (6): 603-607.
- Pilgrim, H. I. and R. C. Parks. 1968. Foster nursing of germ-free mice. *Lab. Anim. Care*. 18 (3): 346-351.

- Quintans, C. J., L. S. Montoro, P. E. Cittadini and S. A. Ramirez. 1987. Evaluation of a cloth filter cover for the protection of caged SPF laboratory animals (Evaluacion de un modelo de tapa filtrante para la proteccion de animales de experimentacion). *Revista de Medicina Veterinaria, Argentina*. 68 (2): 111-114.
- Shin, D. K., B. J. So, Y. M. In, T. H. Cho and U. I. Chung. 1989. Studies on the development of feed for guinea pigs. *Research Reports of the Rural Development Administration (Suweon)* 31 (2): 38-44.
- Small, J. D. 1983. Environmental and equipment monitoring. *In: The Mouse in Biomedical Research, Volume III: Normative Biology, Immunology and Husbandry*. Foster, H. L., J. D. Small and J. G. Fox, (Eds.). Chapter 6.
- Tazume, S., K. Oumehara, H. Matsuzawa, H. Aikawa, K. Hashimoto and S. Sasaki. 1991. Effects of germ-free status and food restriction on longevity and growth of mice. *Experimental Animals (Tokyo)*. 40 (4): 517-522.
- Tazume, S., K. Oumehara, H. Matsuzawa, T. Yoshida, K. Hashimoto and S. Sasaki. 1991. Immunological function of food-restricted germ-free and specific pathogen-free mice. *Experimental Animals (Tokyo)*. 40 (4): 523-528.
- Trexler, P. C. 1983a. Gnotobiotics. *In: The Mouse in Biomedical Research, Volume III, Normative Biology, Immunology and Husbandry*. Foster, H. L., J. D. Small and J. G. Fox, (Eds.). Chapter 1.
- Trexler, P. C. 1983b. Gnotobiotics. *In: The Mouse in Biomedical Research, Volume III, Normative Biology, Immunology and Husbandry*. Foster, H. L., J. D. Small and J.G. Fox, (Eds.). Chapter 2.
- Trexler, P. C. 1978. A rationale for the development of gnotobiotics. *Lab. Animals*. 12: 257-262.
- Trexler, P. C., and L. I. Reynolds. 1957. Flexible film apparatus for rearing and use of germ-free animals. *Appl. Microbiol.* 5: 406.
- UFAW. 1976. The UFAW Handbook on the Care and Management of Laboratory Animals, Fifth Edition. Churchill Livingstone, N.Y..
- UFAW. 1976. The animal house and its equipment. *In: The UFAW Handbook on the Care and Management of Laboratory Animals, Fifth Edition*. 75-134.
- Wagner, J. E., and H. L. Foster. 1976. Germ-free and specific pathogen-free. *In: The Biology of the Guinea Pig*. Wagner, J. E., and P. J. Manning, (Eds.). 21-30.
- Weina, P.J. and D.M. England. 1990. The American lung fluke, *Paragonimus kellicot*, in a cat model. *J. Parasitology*. 76 (no. 4): 568-572.

- Wullenweber, M., J. Kaspareit-Rittinghausen and M. Farouq. 1990. *Streptobacillus moniliformis* epizootic in barrier-maintained C57BL/6J mice and susceptibility to infection of different strains of mice. *Lab. Anim. Sci.* 40 (6): 608-612.
- Wullenweber-Schmidt, M., B. Meyer, V. Kraft and J. Kaspareit. 1988. An enzyme-linked immunosorbent assay (ELISA) for the detection of antibodies to *Pasteurella pneumotropica* in murine colonies. *Lab. Anim. Sci.* 38 (1): 37-41.
- Yamada, J., M. Suzuka, and T. Serikawa. 1977. A simple method of obtaining germ-free mice and rats using a laminar-flow bench. *Lab. Animals.* 11: 41-42.
- Yoshida, T. 1975. Production and management of laboratory animals. 31. Pathogen-Free Animals. *Anim. Husb.* 29 (5): 686-690.

Plants - field crops and horticulture

- Bald, J. G., A. O. Paulus, J. V. Lenz, P. A. Chandler and T. Suzuki. 1969. Disease control with pathogen-free bulb stocks for Easter lily improvement. *Calif. Agr.* 23 (11): 6-8.
- Cerne, M. 1990. Suitability of tomato cultivars for processing in juice. *Acta Hortic.* 277: 213-216.
- Debergh, P. and L. Maene. 1977. Rapid clonal propagation of pathogen-free pelargonium plants starting from shoot tips and apical meristems. *Acta Hortic.* 78: 449-454.
- Ebbels, D. L. 1979. A historical review of certification schemes for vegetatively-propagated crops in England and Wales pathogen-free stock. *ADAS Q. Rev. G. B. Agric. Dev. Advis. Serv.* 32: 21-58.
- Hardie, J. L. 1976. Propagation of pathogen-free potato stocks by stem cuttings within a clonal selection program. *Bull. Organ. Eur. Mediterr. Prot. Plant (OEPP)* 6 (4): 221-222.
- Harrison, M. D., C. E. Quinn, I. A. Sells and D. C. Graham. 1977. Waste potato dumps as sources of insects contaminated with soft rot coliform bacteria in relation to re-contamination of pathogen-free potato stocks. *Potato Res.* 20 (1): 37-52.
- Kehr, A. 1977. Rapid developments in tissue culture leading to new opportunities for growers. *Am. Nurserym.* 146 (3): 7 & 67-72.
- Knauss, J. F. 1977. A partial tissue culture method for pathogen-free propagation of selected ferns from spores. *In: Proc. Fla. State Hort. Soc.* 89: 363-365.

- Mastalerz, G. 1978. Obtaining pathogen-free pelargonium under *in vitro* culture conditions (Uwalnianie pelargonii of patogenow w warunkach *in vitro*). *Ogrodnictwo. Warsz.* 15 (10): 276-277.
- Pettersson, M. L. 1975. Proposal for a Planned Production Concerning Pathogen-free Material of Pelargonium (Forslag till produktionsschema for sjukdomsfritt material av pelargon). *Lantbrukshogsk. Medd. Ser. A*, 245. 14 pp.
- Quazi, M. H., and S. D. Martin. 1978. Pathogen-free potato plants regenerated from meristem-tip cultures to free cultivars from common viruses and fungi such as *Fusarium* spp. *N. Z. J. Exp. Agric.* 6 (4): 305-307.
- Theiler, R. 1980. Use of tissue culture for breeding of pathogen-free plants, possibilities and problems in their use (Einsatz der Gewebekultur zur Anzucht pathogenfreier Pflanzen, Moglichkeiten und Probleme ihrer Anwendung). *Erwerbsobstbau.* 22 (10): 226-231.

SPF building design and management

- Bleby, J. 1968. Housing of disease-free animals. *In: The design and function of laboratory animals* UFAW, fourth ed. Churchill Livingstone, London. 94-104.
- Braymen, D. T., J. R. Songer, and J. F. Sullivan. 1974. Effectiveness of footwear decontamination methods for preventing the spread of infectious agents. *Lab. Animal Sci.* 24 (6): 888-894.
- Forissier, P. 1971. Usual methods in the disinfection of specific pathogen-free units (Methodes usuelles de desinfection dans les unites SPF). *Exp. Anim.* 4 (3): 287-297.
- Foster, H. L. 1959. A procedure for obtaining nucleus stock for a pathogen-free animal colony. *Proc. Anim. Care Panel.* 9: 135-142.
- Foster, H. L. 1959. Housing of disease-free vertebrates. *Ann. N. Y. Acad. Sci.* 78: 80-88.
- Heine, W. 1978. Operating procedures, equipment and housing facilities to maintain small laboratory animals under SPF (specific pathogen-free) conditions in large breeding colonies and in experiments. *J. So. Afr. Vet. Assoc.* 49 (3): 171-174.
- Heine, W. 1978. Twelve years experience in establishing larger colonies of small laboratory animals under SPF (specific pathogen-free) conditions by means of germfree technology. *J. So. Afr. Vet. Assoc.* 49 (3): 175-177.

- Taylor, R. J. 1974. The sterilization of a new building designed for the breeding of specific-pathogen-free animals. *J. Hyg.* 72 (1): 41-51.
- Thimm, H. J. 1973. New concept of SPF animal shelter (Ein neues SPF-Tierhaus-Konzept). *Kleinintier—Praxis.* 18 (4): 114-118.
- Thunert, A. 1975. The water supply of SPF animal houses. I. Different ways of improving the quality of drinking-water. II. Suitability of different types of filter for the elimination of germs (Zur Trinkwasserversorgung von SPF-Tierhaltungen. I. Methoden zur hygienischen Verbesserung des Trinkwassers. II. über die Eignung verschiedener Filtersysteme für die Wassereinklemmung, eigene Untersuchungen und Beobachtungen), *Z. Versuchstierkd.* 17 (1): 41-49.
- Thunert, A. and W. Heine. 1975. The water supply of SPF animal houses. III. Heated and acidified drinking water (Zur Trinkwasserversorgung von SPF-Tieranlagen. III. Erhitzung und Ansauerung von Trinkwasser). *Z. Versuchstierkd.* 17 (1): 50-52.

Economics of pathogen-free production

- Aagaard, R. 1974. Economy in converting to specific pathogen-free production (Økonomien ved overgang til SPF produktion). *Det. Nye. Dan. Landbrug.* 5 (3): 22-25.
- Iversen, R. T. B. and C. L. Brown. 1993. A Preliminary Business Opportunity Plan for Specific Pathogen-free Shrimp Culture Facilities in Hawaii and Guam. CTSA publication number 113. Waimanalo, Hawaii. 86 pp.
- Kuljis, A. and C.L. Brown. 1992. A Market Study of Specific Pathogen-free Shrimp. USDA/CTSA publication number 112. Waimanalo, Hawaii. 54 pp.
- Keller, H. 1970. Thoughts on the marketing problems with the framework of the SPF programs (Gedanken zu den Vermarktungs-problemen im Rahmen des SPF-Programmes). *Grune.* 98 (7): 216-222.
- Koch, W. 1974. The success of specific pathogen-free restoration (Der Erfolg der SPF-Sanierung). *Grune.* 102 (17): 580-588.
- Koch, W. 1975. The investments for specific pathogen-free restoration and an evaluation of profit-to-cost relationship (Der Aufwand für die SPF-Sanierung und der Ertrag im Vergleich zu den Kosten). *Schweiz. Arch. Tierheilkd.* 117 (3): 153-162.

- Mandrup, M., K. Barfod and H. P. Riemann. 1976. Analysis of specific pathogen-free systems, developmental possibilities and economics (Analyse af SPF-systemets udviklingsmuligheder og økonomi). *Dan. Veterinærtidsskr.* 59 (21): 942-949.
- Mandrup, M., K. Barfod and H. P. Riemann. 1976. Potential for improvement and economic analysis of specific pathogen-free systems (Analyse af SPF-systemets udviklingsmuligheder og økonomi). *Ugeskr. Agron. Hortonomer. Forstkandidater. Licentiater.* 121 (42): 860-866.

